

Chapter 4

Carlisle County Hazard Mitigation Plan 2023 Update

4:4 Risk Assessment

All Components of this Risk Assessment were developed using the best available data in the Purchase Region. GIS resources and public input were used to identify which hazards, of those listed below, affect the Purchase Region. The Purchase Area Development District (PADD) staff compiled this information to identify hazards and the Jackson Purchase Hazard Mitigation Council (JPHMC) reviewed the definitions and discussed their occurrence in and impact on the Region. This review identified all hazards to the region and consequently all hazards that affect Carlisle County.

For this revision, the Mitigation Planning Team (MPT) for Carlisle County reviewed the previous prioritization of Hazards from the perspective of how they impacted their jurisdictions. The resulting prioritization and risk assessments are contained in this county annex.

4:4.1 Identifying Hazards

FEMA recognizes many forms of natural hazards. Major natural hazards that may occur include:

- Geologic hazards
 - Tsunami
 - Volcano
 - Earthquake
 - Land Subsidence/Karst Topography
 - Landslide
- Weather generated hazards.
 - Avalanche
 - Hurricane
 - Severe Thunderstorm
 - Hailstorm
 - Windstorm/Microburst
 - Severe Winter storm
 - Tornado
- Wildfire
- Flooding
 - Flashfloods
 - General Flooding
 - Coastal
 - Riverine
- Urban
- Climatological
 - Drought
 - Extreme Heat
- Failure of Man-made structures from the impact of natural forces
 - Dam Failure
 - Levee/flood Wall Failure

Natural Hazards Addressed by the Regional Plan

The regional planning process identified hazards that significantly impact the entire Purchase Region and eliminated from consideration those natural hazards that do not. Natural hazards where a historical record of damage to people and property exists, or the potential for such damage to occur, are addressed in the plan. This determination does not preclude the plan from including more hazards in future updates. The Carlisle County MPT agreed that the identification process

was sufficiently thorough to serve all the signatory counties of the plan and will not be repeated for the Carlisle County Chapter. Table 4.1 summarizes why these hazards were identified.

Table 4.1 Hazards Identified and Reasons for Identification

Hazard	How Identified	Why Identified
Tornado	<ul style="list-style-type: none"> * Review of past disaster damage * Review of FEMA hazard maps * Public Input 	<ul style="list-style-type: none"> * Several past occurrences * Hazard maps show all jurisdictions affected
Flood Flash Flood River Erosion	<ul style="list-style-type: none"> Review of past disaster damage (FEMA & National Climatic Data Center) * Local Emergency Management * Public Input * Review of FIRM maps 	<ul style="list-style-type: none"> * Affects the region frequently * Maps show many floods prone areas * Public identified several regions not mapped affected by flooding Repetitive flooding has led to the deposition of enormous amounts of silt in Kentucky's Mississippi River ports
Thunderstorm Wind Hail	<ul style="list-style-type: none"> * Review of past disaster damage * Public Input * Review of past occurrences from National Climatic Data Center 	<ul style="list-style-type: none"> * Many events in the past * Widespread: affects all jurisdictions * High wind zone
Earthquake	<ul style="list-style-type: none"> * Review of Ground Motion Maps * Review of the New Madrid and Wabash Seismic Zone Maps * Public Input 	<ul style="list-style-type: none"> * Location close to New Madrid/Wabash Seismic Zones * Historic accounts of 1812 disaster. * Potential for destructive impact in some jurisdictions
Winter Storm / Ice Storm	<ul style="list-style-type: none"> * Review of past disaster damage * Review of past occurrences from National Climatic Data Center * Public Input * Local DES/KYTC 	<ul style="list-style-type: none"> * Several past occurrences * Variety of events including snow and ice * Can affect all jurisdictions
Excessive Heat / Drought	<ul style="list-style-type: none"> * Review of past disaster damage * Public Input * Review of Palmer Drought Severity Index 	<ul style="list-style-type: none"> * Losses have occurred in past * Large impact of agriculture on the region
Dam Failure	<ul style="list-style-type: none"> * Review of High-Risk Dams in the Purchase Region * Corps of Engineers Input 	<ul style="list-style-type: none"> * Potential for flooding * Number of High-Risk dams in region
Wildfire	<ul style="list-style-type: none"> * Review of State Mitigation Plan * Public Input 	<ul style="list-style-type: none"> * Potential for loss at Wildland/urban interface, * Increased fuel supply due to ice storm damage

4:4.2 Hazard Profiles

The Carlisle County MPT reviewed the previously identified hazards based on; historical evidence gathered from the Kentucky State Climatology Center, the National Center for Environmental Information (NCEI), Federal Emergency Management Agency (FEMA) Hazard Mapping website, the Kentucky State Hazard Mitigation Plan, and the Kentucky Geological Survey. PADD staff gathered GIS information and historical data to provide to MPT. There are some limitations to the best available GIS and historical data pertaining to hazards. All components of this Risk Assessment were revised using the best available data in the Purchase Region. GIS resources and public input were used to identify which hazards, of those listed below, affect the Purchase Region. The JPHMC reviewed the definitions and discussed their occurrence in and impact on the region. This review identified all hazards to the region and consequently all hazards that affect Carlisle County.

Summary of Hazard Profiles

Several overall conclusions can be drawn from the information gathered in the Hazard Profiles. Based on historical frequency and past disaster damages, several hazards identified in the Regional Plan stand out as more significant threats to Carlisle County, while several others appear to be less significant.

According to frequency and damage figures, Severe Storms, Flooding, Severe Winter Storms, and Tornadoes stand out as the most significant threats to Carlisle County. Hailstorms are hazards that threaten the county, having caused considerable property and crop damage. Landslides and Earthquakes are hazards rated by committee members as potential threats. There is no historical data on actual landslide or earthquake damage in Carlisle County to analyze the threat, and considerable debate as to the severity of the resultant damage even for the “worst case scenarios”.

Dam Failure, Extreme Heat, Wildfire, and Drought are perceived as possible threats to portions of the county, yet historic frequency and damage data do not suggest that these are among the most significant. There is no historical occurrence of damage or injury due to a dam failure in Carlisle County, but the MPT wanted this hazard included in the Mitigation Plan. This would serve as the justification for future studies and data gathering efforts to determine whether such a hazard truly exists.

The following table is a summary of past Declared Disasters as provided by FEMA for Carlisle County. This table is limited to providing information only related to declared disasters on the county level and does not list each jurisdiction

Table 4.2 Presidential Disaster Declarations that Affected PADD Counties

DR#	Declaration Date	Disaster Type	Total Declared Counties	Declared Counties	Counties Declared for Public Assistance and Individual Assistance	Counties Declared for Public Assistance Only	County	DH Approved Funding	IFG Approved
381	5/11/1973	Severe Storms, Flooding	5	Ballard, Carlisle, Fulton, Hickman, McCracken	Ballard, Carlisle, Fulton, Hickman, McCracken	0			
461	3/29/1975	Severe Storms, Flooding	17	Ballard, Calloway, Fulton, Graves, Hickman, Marshall, McCracken	Ballard, Calloway, Fulton, Graves, Hickman, Marshall, McCracken	0			
821	2/24/1989	Severe Storms, Flooding	67	Ballard, Carlisle, Graves, Hickman, Marshall, McCracken	Ballard, Carlisle, Graves, Hickman, Marshall, McCracken	0			
1089	1/13/1996	Blizzard	120	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall	0	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken,			
1163	3/4/1997	Flooding	101	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken	Ballard, Carlisle, Fulton, Hickman, Marshall, McCracken	Calloway	McCracken	\$137,084.85	\$78,709.00
1802	10/9/2008	Severe Windstorm	36	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken	0	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken,			

3302	1/28/2009	Severe Windstorm	114	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken	0	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken,			
1818	2/5/2009	Severe Winter Storm, Flooding	117	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken	0	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken,			
1976	5/4/2011	Severe Storms, Tornadoes, Flooding	22	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken		Calloway			
4057	3/6/2012	Severe Storms, Tornadoes, Straight-line Winds, Flooding	1	Ballard		Ballard			
4216	4/30/2015	Severe Winter Storms, Snowstorms, Flooding, Landslides, Mudslides	3	Ballard, Marshall, McCracken		Ballard, Marshall, McCracken			
4218	5/12/2015	Severe Winter Storms, Snowstorms, Flooding, Landslides, Mudslides	3	Calloway, Fulton, Marshall		Calloway, Fulton, Marshall			
4278	8/26/2016	Severe Storms, Tornadoes, Flooding, Landslides, Mudslides	2	Calloway, Marshall		Calloway, Marshall			
4358	4/12/2018	Severe Storms, Flooding, Landslides, and Mudslides	22	None		None			
4361	4/26/2018	Severe Storms, Tornadoes,	35	Carlisle, Graves, Hickman, Fulton, McCracken		Carlisle, Graves, Hickman,			

		Flooding, Landslides and Mudslides				Fulton, McCracken			
4428	4/17/2019	Severe Storms, Straight-line Winds, Flooding, Landslides, and Mudslides	60	Ballard, Carlisle, Fulton, Hickman, Marshall, McCracken		Ballard, Carlisle, Fulton, Hickman, Marshall, McCracken			
3469	3/13/2020	Covid-19	120	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken		Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken			
4497	3/28/2020	Covid-19 Pandemic	120	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken	Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, McCracken				
4540	4/24/2020	Severe Storms, Flooding, Landslides, and Mudslides	27	Hickman, McCracken		Hickman, McCracken			
4592	3/31/2021	Severe Winter Storms, Landslides, and Mudslides	45	None		None			
4595	4/23/2021	Severe Storms, Flooding, Landslides, and Mudslides	44	Ballard, Graves, Calloway		Ballard, Graves, Calloway			
3575	12/11/2021	Severe Storms, Straight-line Winds, Flooding and Tornadoes	16	Fulton, Graves, Hickman, Marshall					
4630	12/12/2021	Severe Storms, Straight-line Winds, Flooding and Tornadoes	23	Fulton, Graves, Hickman, Marshall	Fulton, Graves, Hickman, Marshall				
4643	2/27/2022	Severe Storms, Straight-line Winds, Tornadoes,	13	None		None			

		Flooding, Landslides							
--	--	-------------------------	--	--	--	--	--	--	--

Source: https://www.fema.gov/disasters?field_state_tid_selective=49&field_disaster_type_term_tid=All&field_disaster_declaration_type_value=All&items_per_page=20&=GO

According to State Department of Emergency Management records Carlisle County was eligible for Public Assistance because of the above declarations. For this revision, MPT for Carlisle County reviewed the prioritization of Hazards from the 2018 Plan using updated climatic/event data, revised flood zones, local events occurring since the previous plan, 2020 Census data and the 2020 American Community Survey. The resulting prioritization and risk assessments area contained in this county annex.

Table 4.3 Carlisle County Hazard Summary Table

PLAN VERSION	2022	2017
HIGH RISK HAZARDS	TORNADO FLOOD FLASH /FLOOD THUNDERSTORM WIND WINTER STORM/ICE STORM EARTHQUAKE	TORNADO FLOOD FLASH /FLOOD THUNDERSTORM WIND WINTER STORM/ICE STORM EARTHQUAKE
MODERATE RISK HAZARDS	HAIL EXCESSIVE HEAT / DROUGHT WILDFIRE	HAIL EXTREME HEAT/DROUGHT WILDFIRE
LOW RISK HAZARDS	DAM FAILURE	DAM FAILURE

Source: Carlisle County MPT 2022

Table 4.4 represents a summary of the events on record in the NCEI Storm Events Database occurring in Carlisle County for the period January 1, 1950, through March 31, 2022. Data is available as early as 1950, but depending on reporting for some events, the first event on record may come at a much later time. The detailed, disaggregated listing of these events is included in Appendix 1.

Please see NCEI (formerly the National Climatic Data Center) contact page if you have questions at <https://www.ncdc.noaa.gov/customer-support>

**Table 4.4 Summary of Hazard Previous Occurrences and Impacts in Carlisle County
January 1, 1950 – March 31, 2022**

Event	Events	Death	Injury	Property Damage (\$)	Crop Damage (\$)
Tornado	6	0	2	2.245M	0.00K
Thunderstorm	81	0	1	1.297M	20.00K
Winter Storm	23	0	0	70.00K	0.00K
Ice Storm	4	0	0	10.200M	0.00K
Flood	36	0	0	460.00K	0.00K
Flash Flood	24	0	0	507.00K	0.00K
Hail	40	0	0	535.00K	50.00K
Excessive Heat	11	0	0	0.00K	0.00K
Drought	31	0	0	0.00K	9.200M
Wildfire	1	0	0	0.00K	0.00K
Dam Failure	NO EVENTS				
1 class A structure = no loss of life anticipated, only damage to dam owner's property					
2 class B structures = loss of life not probable, some economic loss & environmental damage					

Source : <https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=21%2CKENTUCKY>

For the update to the 2023 Jackson Purchase Hazard Mitigation (JPHM) Plan, the events will be reviewed from April 1, 2017, through March 31, 2022. The storm events database maintained by the NCEI will be utilized as the source for the best available data for the Purchase Region.

Tornado

A tornado is a violent windstorm characterized by a twisting, funnel-shaped cloud extending to the ground. It is most often generated by a thunderstorm when cool, dry air intersects and overrides a layer of warm and moist air forcing the warm air to rise rapidly and upper-level winds, especially the jet stream runs at an angle relative to the prevailing surface winds. These conditions occur with regularity over the Purchase Region in the spring, but as evidenced recently, can occur at any time of the year. Tornadoes are often accompanied by large hail and damage is most often the result of the high wind velocity and wind-blown debris. The most violent tornadoes have rotating winds of 250 miles per hour or more and can cause extreme destruction. They have the power to uproot trees, structures, and turn harmless objects into deadly flying debris.

Most tornadoes aren't very wide and touch down only briefly. However, a highly destructive tornado may carve a path over a mile wide and several miles long. Tornadoes typically cause the most damage to lightly or poorly built structures, such as residential homes. An average of 800-1000 tornadoes are reported nationwide and they are more likely to occur during the spring and early summer months. Tornadoes can occur at any time of the day but are more likely to form in the late afternoon or early evening.

In 2007 the Enhanced Fujita (EF) Scale was introduced to better reflect wind speed and the amount of damage produced by tornadoes. It replaced the Fujita-Pearson Scale that defined every tornado on record in the United States since 1950. EF rankings are assigned after a tornado event has occurred and the National Weather Service has inspected the damage.

Table 4.5 The Enhanced Fujita Tornado Measurement Scale

Scale	Estimated Wind Speed	Typical Damage
EF0	65-85 mph	Light Damage - Some damage to chimneys; branches broken off trees; shallow-rooted trees pushed over; signboards damaged.
EF1	86 – 110 mph	Moderate Damage - Peels surface off roofs; mobile homes pushed off foundations or overturned; moving autos blown off roads.
EF2	111 – 135 mph	Considerable Damage - Roofs torn off frame houses; mobile homes demolished; boxcars overturned; large trees snapped or uprooted; light object missiles generated; cars lifted off ground and thrown.
EF3	136 – 165 mph	Severe Damage - Roofs and some walls torn off well-constructed houses; trains overturned; most trees in forest uprooted; heavy cars lifted off the ground and thrown.
EF4	166 – 200 mph	Devastating Damage - Well-constructed houses leveled; structures with weak foundations blown away some distance; cars thrown, and large missiles generated.
EF5	>200 mph	Incredible Damage - Strong frame houses leveled off foundations and swept away; automobile-sized missiles fly through the air in excess of 100 meters (109 yards); trees debarked; incredible phenomena will occur.

Table 4.6 represents the tornadic events that occurred in Carlisle County during the update period.

Table 4.6 Tornado Events and Impacts in Carlisle County April 1, 2017 – March 31, 2022

Location	Date	Time	Time Zone	Magnitude	Deaths	Injuries	Property Damage	Crop Damage
CUNNINGHAM	3/14/2019	8:18	CST-6	EF-1	0	0	20.00 K	0.00 K
BARDWELL	6/23/2019	15:20	CST-6	EF-1	0	0	20.00 K	0.00 K
MAGEE SPGS	6/23/2019	15:27	CST-6	EF-1	0	0	5.00 K	0.00 K
TOTALS:							45.00K	0.00K

Source: National Oceanic and Atmospheric Administration (NOAA), National Centers for Environmental Information (NCEI), Storm Events Database


<https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=21%2CKENTUCKY>

The following event descriptions are typical of the type of tornadoes experienced in Carlisle County:

- On June 23, 2019, a cluster of thunderstorms formed over western Kentucky early in the afternoon. Several of these storms produced large hail or damaging wind. However, the main event was a line of severe thunderstorms that entered southeast Missouri about mid-afternoon and then tracked east across western Kentucky late in the afternoon and early in the evening. Several EF-1 tornadoes were associated with this line, in addition to scattered wind flow ahead of a weak cold front over far western Missouri. Numerous trees were uprooted and snapped by this tornado, which passed across U.S. Highway 51. Peak winds were estimated near 110 mph. This was the first of three tornadoes that were spawned along a path extending northeastward to the Paducah area.

Figure 4.1 illustrates the tornado tracks for the three events recorded during the update period.

Figure 4.1 Vulnerability to Tornadoes through Identification of Tornado Tracks April 1, 2017 – March 31, 2022



SUMMARY AND CONCLUSIONS OF TORNADO PROFILE

For the period covered by this update (April 1, 2017, through March 31, 2022), there were three occurrences of a tornado in Carlisle County reported by the National Center for Environmental Information. These occurrences resulted in no injuries or death and totaled \$45,000 in reported personal property damage.

Information from Table 4.6 and Figure 4.1 can be related to Tornadoes and used to define the frequency of tornado events and the impact of these events. Data on tornado event magnitude is provided in the form of the Enhanced Fujita Scale as shown on the map.

Carlisle County experienced three reported events over a 5-year period, which indicates 0.6 reported tornado events per year. The cost of a tornado event can be calculated as:

- $\$45,000 \text{ total damage} / 3 \text{ events} = \$15,000 \text{ damage per event on average}$
- $\$15,000 \text{ average damage per event} \times 0.6 \text{ events per year} = \$9,000 \text{ damage per year on average}$

Of critical concern to the Carlisle County MPT, and the main contributing factor to its consideration of risks and vulnerability, is the human cost from Tornado Events. Although there are no recorded fatalities and \$45,000 in reported property damage during this update cycle tornadoes still represent a significant potential risk to Carlisle County.

Flash Flood / Flood

As can be seen in Table 4.7, Long Term Flooding is the most common form of flooding in Carlisle County. This is usually a temporary condition of partial or complete inundation of two or more acres of normally dry land area of two or more properties from overflow of water. This slow drainage is often exacerbated by stream blockages of tree limbs and trunks, which form effective check dams and barrages.

River basin flooding is common among Kentucky's major streams and bodies of water during the winter and early spring months. The Mississippi River and its numerous tributary creeks delivered catastrophic flooding to the area in the past, most memorably in 1937. The Mississippi has since been contained, if not controlled by levees, floodwalls, and dams. The potential failure of these structures, especially those that are aging, is of more concern to the county than the direct effects of flooding. The creeks have been controlled to a lesser extent.

Periodic flooding of land adjacent to rivers, streams and shorelines is natural and can be expected to take place at regular intervals. The recurrence interval of a flood is defined as the average time interval, in years, expected between a flood event of a particular magnitude and an equal or larger flood. The 100 Year Flood, as determined by the FEMA, is a flood event of a magnitude expected to be equaled or exceeded once on average during any 100-year period. The term "100-year flood" is misleading. It is not the flood that will occur once every 100 years. Rather, it is the flood elevation that has a one percent chance of being equaled or exceeded each year. Thus, the 100-year flood could occur more than once in a relatively short period of time. The 100-year flood is also used by the National Flood Insurance Program (NFIP) as the standard for floodplain management and to determine the need for flood insurance.

**Table 4.7 Flash Flood / Flood Events and Impacts in Carlisle County
April 1, 2017– March 31, 2022**

Location	Date	Time	Time Zone	Event Type	Deaths	Injuries	Property Damage	Crop Damage
<u>LAKETON</u>	2/24/2018	16:00	CST-6	Flood	0	0	0.00K	0.00K
<u>LAKETON</u>	03/01/2018	00:00	CST-6	Flood	0	0	0.00K	0.00K
<u>CUNNINGHAM</u>	11/01/2018	04:50	CST-6	Flood	0	0	0.00K	0.00K
<u>BERKELEY</u>	02/10/2019	15:00	CST-6	Flood	0	0	0.00K	0.00K
<u>ARLINGTON</u>	2/20/2019	02:47	CST-6	Flood	0	0	0.00K	0.00K
<u>BERKELEY</u>	03/01/2019	00:00	CST-6	Flood	0	0	0.00K	0.00K
<u>BARDWELL</u>	03/14/2019	04:20	CST-6	Flood	0	0	0.00K	0.00K
<u>ARLINGTON</u>	01/11/2020	12:00	CST-6	Flood	0	0	0.00K	0.00K
<u>BARDWELL</u>	01/09/2022	09:00	CST-6	Flood	0	0	0.00K	0.00K
<u>MAGEE SPGS</u>	2/22/2022	12:30	CST-6	Flood	0	0	0.00K	0.00K
TOTALS:					0	0	0.00K	0.00K

Source: National Oceanic and Atmospheric Administration (NOAA), National Centers for Environmental Information (NCEI), Storm Events Database
<https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=21%2CKENTUCKY>

The following event descriptions are typical of the type of flooding experienced in Carlisle County:

- On March 14, 2019, a strong low-pressure system produced multiple weather hazards. Scattered supercell thunderstorms developed ahead of a cold front on the morning and early afternoon of the 14th, producing isolated wind damage, large hail, and several tornadoes. The supercells were preceded by widespread rain and thunderstorms the previous night, which caused some pockets of flooding in western Kentucky. Flood Waters closed U.S. Highway 62 in the West Fork Creek bottoms between Bardwell and Highway 121
- On February 22, 2022, a broken line of thunderstorms moved rapidly east northeastward during the early morning hours. A few damaging wind events and a weak tornado accompanied the storms. The Kentucky Transportation Cabinet reported U.S. 62 was closed due to floodwaters at the 4-to-5-mile marker in Carlisle County. This is along U.S. 62 in the West Fork Creek Bottoms between Bardwell and the KY 121 intersection.

Figure 4.2 Carlisle County 100 Year Flood Zone




Figure 4.3 City of Arlington Flood Hazard Area




Figure 4.4 City of Bardwell Flood Hazard Area




Table 4.8 National Flood Insurance Program Participation by Jurisdiction

Jurisdiction	Floodplain Management Ordinance	SFHA in Jurisdictional Limits	Comments	City Class
Ballard County	X	X		
City of Barlow			No mapped SFHA	6
City of Kevil			No mapped SFHA	6
City of La Center		X	SFHA mapped in 2009, NFIP under consideration	5
City of Wickliffe	X	X		5
Calloway County	X	X		
City of Murray	X	X		3
City of Hazel			No mapped SFHA	6
Carlisle County	X	X		
City of Bardwell	X	X		5
City of Arlington	X	X		6
Fulton County	X	X		
City of Fulton	X	X		4
City of Hickman	X	X		4
Graves County	X	X		
City of Mayfield	X	X		3
City of Wingo		X		6
Hickman County		X	Mapped SFHA, non-participant	
City of Clinton	X	X		5
City of Columbus			No mapped SFHA	5
Marshall County	X	X		
City of Benton	X	X		4
City of Calvert City	X	X		4
City of Hardin	X	X		5
McCracken County	X	X		
City of Paducah	X	X		2

Information from the FEMA Community Status Book as of 03-17-22

SUMMARY AND CONCLUSIONS OF FLOOD PROFILE

Between April 1, 2017, to March 31, 2022, there were ten river basin floods recorded in Carlisle County. The river basin floods did not result in death or injury to individuals or damage to property. That did not influence the high-risk analysis by the Carlisle County Mitigation Planning Team due to the frequency occurrence of past flooding events in the county.

Information from the above tables and maps related to flooding can be used to define the frequency of Flood Events and the impact of these events. Data on flood event magnitude was not available. On average the frequency of occurrence indicates a more than 100% probability that such an event will occur in any given year.

While the reported data does not indicate a high level of property damage, it is widely agreed that numerous personal losses have not been reported and that a more concerted effort should be made to report this information.

The cost of a Flood Events for the update period could be calculated as:

- 10 events / 5-year period = 2 events per year on average
- \$0 property damage / 10 events = \$0 average damage per event.
- \$0 average damage per event x 1.2 events per year = \$0 average damage per year

Thunderstorm / Wind

A thunderstorm is formed from a combination of moisture, rapidly rising, warm air, or a force capable of lifting air, such as the meeting of a warm and cold front, a sea breeze, or a mountain. Thunderstorms can produce tornadoes, large hail and heavy rain and cause flash flooding.

The National Weather Service considers a thunderstorm as severe if it develops $\frac{3}{4}$ inch hail or 58 mph winds. Straight line winds during thunderstorms can exceed 100 miles per hour and are responsible for wind damage associated with thunderstorms. One type of straight-line wind, the downburst, can cause damage equivalent to a strong tornado and can be extremely dangerous to aviation.

Thunderstorms affect relatively small areas when compared with winter storms, as the average storm is 15 miles in diameter and lasts an average of 30 minutes. All thunderstorms are dangerous and capable of threatening life and property in localized areas. Every thunderstorm produces lightning, which results from the buildup and discharge of electrical energy between positively and negatively charged areas.

Thunderstorms are quite frequent in Carlisle County. They have produced damage and injuries in the past but no recorded fatalities or injuries over the update period. Numerous severe thunderstorms have been recorded that produce high winds, lightning, and hail, in the county. Many of these thunderstorms have caused property or crop damage. These storms, although relatively short in duration when compared to other weather events are often long lived enough to track across the entire county before dissipating their energy or exiting the region.

Table 4.9 Thunderstorm Wind Events and Impacts in Carlisle County April 1, 2017 – March 31, 2022

Location	Date	Time	Time Zone	Magnitude	Deaths	Injuries	Property Damage	Crop Damage
KIRBYTON	2/24/2018	19:22	CST-6	61 kts. EG	0	0	50.0 K	0.00K
CUNNINGHAM	6/28/2018	19:40	CST-6	56 kts. EG	0	0	45.00K	0.00K
ARLINGTON	3/14/2019	08:35	CST-6	52 kts. EG	0	0	2.00K	0.00K
ARLINGTON	6/21/2019	16:38	CST-6	61 kts. EG	0	0	20.00K	0.00K
MILBURN	6/23/2019	15:35	CST-6	70 kts. EG	0	0	10.00K	0.00K
BARDWELL	7/01/2019	16:14	CST-6	58 kts. MG	0	0	8.00K	0.00K
TOTALS:					0	0	135.00K	0.00K

Wind Magnitude Definitions:

Measured Gust: 'MG', Estimated Gust: 'EG', Measured Sustained: 'MS', Estimated Sustained: 'ES'

Source: *Source: National Oceanic and Atmospheric Administration (NOAA), National Centers for Environmental Information (NCEI), Storm Events Database*

<https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=21%2CKENTUCKY>

The following descriptions are typical of thunderstorm wind experienced in Carlisle County:

- On February 24, 2018, an outbreak of severe thunderstorms and tornadoes occurred across Western Kentucky. Most of the severe weather was along and south of Paducah to the Madisonville line. North of that line, serious flash flooding resulted in a fatality. A surface low pressure center tracked rapidly north-northeast from Arkansas to the upper Mississippi Valley, dragging a warm front north across Western Kentucky. Instability was adequate for tornadoes and severe storms in the presence of very strong wind shear. On Highway 307, a couple of small grain bins were destroyed, the damage occurred in very rural farm country.
- On June 21, 2019, a severe weather outbreak occurred during the afternoon and early evening hours. An organized line of severe thunderstorms formed over the central Plains states during the night of the 20th. These bowing lines of storms progressed southeast across the St. Louis area during the midday hours, then down across the lower Ohio Valley and southeast Missouri during the afternoon. Widespread wind damage was reported in parts of Western Kentucky, along with several weak to moderately strong tornadoes. Very large hail was reported in a few locations. Widespread tree and power line damage occurred.
- On June 23, 2019, a cluster of thunderstorms formed over Western Kentucky early in the afternoon. Several of these storms produced large hail or damaging wind. However, the main event was a line of severe thunderstorms that entered southeast Missouri about mid-afternoon and then tracked east across Western Kentucky late in the afternoon and early in the evening. Several EF-1 tornadoes were associated with this line, in addition to scattered pockets of wind damage. The storms occurred under a rather strong southwest wind flow ahead of a weak cold front over far Western Missouri. A 500 mb shortwave trough over the western high Plains provided some additional support for the storms. The air mass was strongly unstable, with the surface capes over 3000 j/kg. Part of the roof of an old barn was blown off. The top of a silo was torn off.

SUMMARY AND CONCLUSIONS OF THUNDERSTORM WIND PROFILE

From April 1, 2017, through March 31, 2022, there have been six occurrences of Severe Storms in Carlisle County reported by the National Climate Data Center. These occurrences totaled \$135,000 in reported personal property damage with no injuries or deaths reported.

The number of Thunderstorm Wind events were combined to look at the frequency of occurrence. Carlisle County experienced six reported events over the 5-year update period, which divides out to 1.2 reported events per year, a more than 100% probability that such an event will occur in any given year. For Carlisle County the cost of a Thunderstorm Wind Event could be calculated as:

- \$135,000 in damages / 6 events = \$22,500 per event on average.
- \$22,500 damage per event x 1.2 events per year = \$27,000 average damage per year.

Of critical concern to the Carlisle County MPT and the main contributing factor in their consideration of risks and vulnerability, is the human cost of Severe Storm Events.

Winter Storms/Ice Storm

Winter Storms can produce an array of hazardous weather conditions that include heavy snow, freezing rain and sleet, high winds and extreme cold. Ice Storms occur when freezing rain accumulates on surfaces and the ground. When a quarter inch or more of ice builds up, severe impacts can result. Winter storms are fueled by strong temperature gradients and an active upper-level cold jet stream. An Ice storm can develop when warmer air above the freezing mark above the ground moves over subfreezing air near the ground. Snow aloft falls through the warmer air and melts into rain, then the rain droplets fall into the subfreezing air and freeze upon contact creating a glaze of ice. Winter and Ice storms can paralyze a community by shutting down normal everyday operations. Accumulating snow and ice can result in downed trees and power lines and may block transportation routes or make them hazardous. Heavy snow can also lead to the collapse of weak roofs or unstable structures. Often, the loss of electricity results in the loss of heat in some homes and buildings. This presents a threat to human life, especially the elderly population.

The level of impact Winter Storms have on a community is greatly determined by their ability to manage and control the affect it has on the community, for example the rapid mobilization of snow removal equipment. Because severe winter storms are sporadic in western Kentucky, many communities cannot afford the expensive equipment and maintenance of snow removal equipment. This increases the potential damage a severe winter storm may cause in a community. Depending on the severity of Ice Storms, impacts can persist for days. If more than a half-inch of accumulation occurs and damage is widespread, it can take a while to remove trees and repair power lines. This can result in a loss of electricity and heat for several days. During the planning period for this update there have been five Winter Storms recorded in Carlisle County and zero ice storms. The last Ice Storm on record happened in January 2009.

Table 4.10 Winter Storm / Ice Storm Events and Impacts in Carlisle County, April 1, 2017 – March 31, 2022

Location	Date	Time	Time Zone	Event Type	Deaths	Injuries	Property Damage	Crop Damage
CARLISLE (ZONE)	01/12/2018	02:00	CST-6	Winter Storm	0	0	0.00K	0.00K
CARLISLE (ZONE)	2/15/2019	17:00	CST-6	Winter Storm	0	0	00.00K	0.00K
CARLISLE (ZONE)	2/10/2020	03:00	CST-6	Winter Storm	0	0	0.00K	0.00K
CARLISLE (ZONE)	2/14/2021	20:00	CST-6	Winter Storm	0	0	0.00K	0.00K
CARLISLE (ZONE)	2/02/2022	19:00	CST-6	Winter Storm	0	0	0.00K	0.00K
TOTALS:					0	0	0.00K	0.00K

Source: National Oceanic and Atmospheric Administration (NOAA), National Centers for Environmental Information (NCEI), Storm Events Database
<https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=21%2CKENTUCKY>

The following event descriptions are typical of the type of winter storms experienced in Carlisle County:

- On February 10, 2021, A wintry mix of precipitation impacted the region resulting in icy roads, numerous accidents, road closures, and scattered power outages. About 3,000 customers in the Owensboro area were without power. The event started in the early morning hours of February 10th and continued into February 11th. Icy roads on the morning of February 10th resulted in one vehicle fatality (indirect fatality) in Trigg County on Highway 80 at the Trace Highway in Land-Between- the Lakes National Recreation Area. Numerous accidents occurred from the morning hours of the 10th into the 11th. This resulted in lengthy road closures on the Audubon Parkway west of Owensboro as well as sections of I-24 between Calvert City and Hopkinsville. Ice accumulations ranging from 0.1 to 0.25 were commonplace across western Kentucky. Scattered power outages and downed tree limbs were primarily focused in this zone of higher accumulations as well. Most areas received at least minor accumulations of sleet along the Ohio River, but the heaviest swath of sleet amounts ranging from 0.5 to 1.5 occurred north of the Ohio River.

SUMMARY AND CONCLUSIONS OF WINTER STORMS / ICE STORM PROFILE

From April 1, 2017, through March 31, 2022, there have been five occurrences of Winter Storms in Carlisle County reported by the National Climate Data Center. These occurrences totaled over \$0.00 in reported personal property damage for the entire region affected.

While no Ice Storm events were recorded during this update period, such events are considered a significant risk due to the 2009 ice storm which produced significant damage to the entire Purchase Region. Ice Storm events, such as the one in 2009, have had a major impact on the region in the past however for this reporting period this specific type of event had no impact.

The number of Winter Storm and Ice Storm events for the Carlisle County and the Cities of Arlington & Bardwell were considered jointly to look at the frequency of occurrence. Carlisle County experienced five reported Winter Storm Events over the 5-year plan update period, which divides out to 1 reported Winter Storm events per year, or a more than 100% probability that such an event will occur in any given year.

As there were no damages reported for the update period the annualized cost could not be calculated.

Earthquake

An earthquake is a geologic event that involves movement or shaking of the earth's crust. Earthquakes are usually caused by the release of stresses accumulated as a result of the rupture of rocks along borders of the earth's ten tectonic plates. Earthquakes can affect hundreds of thousands of square kilometers, causing damage to property, resulting in loss of life and injury, and disrupting the social and economic functioning of the affected area.

According to the New Madrid Seismic Zone Catastrophic Earthquake Response Planning Project Volume 1 all Purchase Region counties will be severely impacted:

“The largest number of damaged buildings occurs in McCracken County where 24,100 structures are damaged. Graves and Marshall Counties also incur substantial building damage at 9,000 and 5,100 buildings, respectively. Conversely, over 90% of all buildings in Ballard and Hickman Counties are expected to experience damage. Additionally, 80% to 90% of buildings in McCracken and Carlisle Counties are damaged.”

Based on the scenario conducted in the study

“Various modes of transportation are also compromised in western Kentucky following the NMSZ scenario event. Over 250 bridges are damaged; numerous bridges along US-51, US-60 and US-45 are heavily damaged and likely impassible the day after the earthquake. Additionally, damage to major river bridges during the event severely limits traffic between Kentucky and Illinois, Tennessee and Missouri.”

To review more information regarding this study, refer to appendix 3.

Most property damage and earthquake-related deaths are caused by the failure and collapse of structures due to ground shaking. The level of damage depends on the amplitude and duration of the shaking, which are directly related to the earthquake size, distance from the fault, site and regional geology. Earthquakes may also cause landslides and liquefaction. Landslides are the down-slope movement of soil and rock in mountainous regions and along hillsides. Liquefaction occurs when the ground soil loses the ability to resist shear and flows much like quicksand. When liquefaction occurs, anything relying on the substrata for support can shift, tilt, rupture, or collapse.

Earthquakes are measured in terms of their magnitude and intensity. Magnitude is measured using the Richter Scale, an open-ended logarithmic scale that describes the energy release of an earthquake through a measure of shock wave amplitude. Each unit increase in magnitude on the Richter Scale corresponds to a ten-fold increase in wave amplitude, or a 32-fold increase in energy. Intensity is most commonly measured using the Modified Mercalli Intensity (MMI) Scale. It is a twelve-level scale based on direct and indirect measurements of seismic effects. The scale levels are typically described using roman numerals, with an “I” corresponding to imperceptible (instrumental) events, “IV” corresponding to moderate (felt by people awake), to “XII” for catastrophic (total destruction).

Table 4.11 provides the Mercalli Intensity scale for earthquake compared to the Richter Scale.

Table 4.11 Modified Mercalli Intensity Scale for Earthquakes Compared to the Richter Scale

Scale	Intensity	Description of Effects	Maximum Acceleration (mm/sec)	Richter Scale
I	Instrumental	Detected only on seismographs	<10	
II	Feeble	Some people feel it	<25	<4.2
III	Slight	Felt by people resting; like a truck rumbling by	<50	
IV	Moderate	Felt by people walking	<100	
V	Slightly Strong	Sleepers awake; church bells ring	<250	<4.8
VI	Strong	Trees sway; suspended objects swing, objects fall off shelves	<500	<5.4
VII	Very Strong	Mild alarm; walls crack; plaster falls	<1000	<6.1
VIII	Destructive	Moving cars uncontrollable; masonry fractures, poorly constructed buildings damaged	<2500	
IX	Ruinous	Some houses collapse; ground cracks; pipes break	<5000	<6.9
X	Disastrous	Ground cracks profusely; many buildings destroyed; liquefaction and landslides widespread	<7500	<7.3
XI	Very Disastrous	Most buildings and bridges collapse; roads, railways, pipes, and cables destroyed; general triggering of other hazards	<9800	<8.1
XII	Catastrophic	Total Destruction: trees fall; ground rises and falls in waves	>9800	>8.1

The New Madrid Seismic Zone is located in southeastern Missouri, northeastern Arkansas, Western Tennessee, Western Kentucky and Southern Illinois. This area is the most active seismic area east of the Rocky Mountains.


Every Year hundreds of small earthquakes occur in the New Madrid Seismic Zone but are typically too small to be felt by humans and can only be detected by sensitive instruments. The last major earthquake in the state of Kentucky was in 1812. The probability of a large magnitude earthquake impacting the Purchase Region is about 10% based on 50 years of research. Though Earthquakes are hard to predict, and scientists are taking great strides to understand the New Madrid Seismic Zone.

Due to the nature of the bedrock that is present in the New Madrid Seismic Zone the geographic impact in the shaking of the ground can be 20 times larger than the earthquakes that impact California. If a large magnitude Earthquake is to occur in the Purchase Region area the damages will be significant.

The primary cause for damage and injuries during an earthquake is because of the destruction of manmade structures. These structures are particularly susceptible 1. Tall Structures (Buildings, Bridges, Dams), 2. Large Open Structures, 3. Brittle Structures, 4. Complex Structures with odd shapes and lots of corners, and 5. Unanchored building contents. Damage will vary depending on the magnitude, zone location, geologic nature of material and degree of urbanization. More information can be found on the Missouri Department of Natural Resources facts page of the New Madrid Seismic Zone <https://dnr.mo.gov/land-geology/hazards/earthquakes/science/facts-new-madrid-seismic-zone>.


Figure 4.5 collected from the Kentucky Geological Survey interprets ground motion.

Figure 4.5 KGS Ground Motion



While Figure 4.6 shows the Peak Ground Acceleration for Carlisle County based on the USGS Shake map simulator at an earthquake of 7.5 magnitude. Figure 4.7 shows the Peak Ground Velocity for Carlisle County based on the USGS Sake Map simulator for an earthquake of 7.5 magnitude.


Figure 4.6 USGS New Madrid Central Fault 7.5 Magnitude Peak Ground Acceleration



PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Mod./Heavy	Heavy	Very Heavy
PEAK ACC.(%g)	<0.05	0.3	2.8	6.2	12	22	40	75	>139
PEAK VEL.(cm/s)	<0.02	0.1	1.4	4.7	9.6	20	41	86	>178
INSTRUMENTAL INTENSITY	I	II–III	IV	V	VI	VII	VIII	IX	X+

Scale based upon Worden et al. (2012)

Figure 4. 7 USGS New Madrid Central Fault 7.5 Magnitude Peak Ground Velocity




PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Mod./Heavy	Heavy	Very Heavy
PEAK ACC.(%g)	<0.05	0.3	2.8	6.2	12	22	40	75	>139
PEAK VEL.(cm/s)	<0.02	0.1	1.4	4.7	9.6	20	41	86	>178
INSTRUMENTAL INTENSITY	I	II-III	IV	V	VI	VII	VIII	IX	X+

Scale based upon Worden et al. (2012)


Most property damage and earthquake-related deaths are caused by the failure and collapse of structures due to ground shaking. The level of damage depends on the amplitude and duration of the shaking, which are directly related to the earthquake size, distance from the fault, site, and regional geology. Earthquakes may also cause liquefaction. Liquefaction occurs when the ground soil loses the ability to resist shear and flows, much like quicksand. When liquefaction occurs, anything relying on the substrata for support can shift, tilt, rupture, or collapse. Figure 4.6 describes the underlying soil structure for Carlisle County. It indicates that virtually the entire county is underlain by beds of sediment, not bedrock. This increases the potential for ground shaking and liquefaction.

Figure 4.8 Generalized Liquefaction Susceptibility & Earthquake Magnitude of the Purchase Region



Source: USGS Map was derived from the USGS Earthquake Catalog, and the Liquefaction data was retrieved from Kentucky Geonet

Figure 4.9 Scenario Fault Location for the State of Kentucky



SUMMARY AND CONCLUSIONS OF EARTHQUAKE HAZARD PROFILE

Low magnitude earthquakes occur constantly in the New Madrid Seismic Zone. Depending on the depth and magnitude, some of the stronger tremors, 3 and above, are felt throughout the entire region. Damages amount to the rare instance of a picture being knocked off a wall or items shaken from shelves.

The potential for an earthquake of catastrophic proportions is not open to debate. Historic and geologic evidence are proof. However, the probability of such an event in any given time frame is open to interpretation and the effects are still a matter of discussion.

Carlisle County experienced two low magnitude earthquakes between April 1, 2017, to March 31, 2022. Most of the Earthquakes that occurred were near or in Fulton County. A full figure of earthquake occurrences will be found in the appropriate county annexes.

Hail

Hail is one of four types of precipitation that falls from the sky. It's also the most dangerous, damaging type, occurring during severe storms. If hail measuring larger than $\frac{3}{4}$ inches in diameter falls during a thunderstorm, it is classified as severe weather. Sometimes damaging winds accompany this type of storm as well. According to the National Oceanic and Atmospheric Administration, hail causes over one billion dollars of damage in the United States each year.

Generally, hail must be $1\frac{1}{4}$ inches in diameter (Half-Dollar size) before it causes damage to heavy composite shingles or wood shake shingles. Lightweight composite shingles may show damage after being struck by 1-inch diameter (Quarter size) hail. Only deteriorated composite shingles will show hail damage due to hail less than 1 inch in diameter, and the hail generally must be more than $\frac{3}{4}$ inch in diameter (Dime size).


TORRO Hailstorm Intensity Scale

The Torro Hailstorm Intensity Scale was introduced by Jonathan Webb of Oxford, England, in 1986 as a means of categorizing hailstorms. The scale extends from H0 to H10 (See Table 4.12) with its increments of intensity or damage potential related to hail size, texture, numbers, fall speed, speed of storm translation, and strength of the accompanying wind.

An indication of equivalent hail kinetic energy ranges (in joules per square meter) has now been added to the first six increments on the scale, and this may be derived from radar reflectivity or from hail pads. The International Hailstorm Intensity Scale recognizes that hail size alone is insufficient to accurately categorize the intensity and damage potential of a hailstorm, especially towards the lower end of the scale. For example, without additional information, an event in which hail of up to walnut size is reported (hail size code 3: hail diameter of 21-30 mm) would be graded as a hailstorm with a minimum intensity of H2-3. Additional information, such as the ground wind speed or the nature of the damage the hail caused, would help to clarify the intensity of the event. For example, a fall of walnut-sized hail with little or no wind may scar fruit and sever the stems of crops but would not break vertical glass and so would be ranked H2-3. However, if accompanied by strong winds, the same hail may smash many windows in a house and dent the bodywork of a car, and so be graded an intensity as high as H5.

However, evidence indicates that maximum hailstone size is the most important parameter relating to structural damage, especially towards the more severe end of the scale. It must be noted that hailstone shapes are also an important feature, especially as the "effective" diameter of non-spheroidal specimens should ideally be an average of the co-ordinates. Spiked or jagged hail can also increase some aspects of damage.

Table 4.12

	Intensity Category	Typical Hail Diameter (mm)*	Probable Kinetic Energy, J-m ²	Typical Damage Impacts
H0	Hard Hail	5	0-20	No damage
H1	Potentially Damaging	5-15	>20	Slight general damage to plants, crops
H2	Significant	10-20	>100	Significant damage to fruit, crops, vegetation
H3	Severe	20-30	>300	Severe damage to fruit and crops, damage to glass and plastic structures, paint and wood scored
H4	Severe	25-40	>500	Widespread glass damage, vehicle bodywork damage
H5	Destructive	30-50	>800	Wholesale destruction of glass, damage to tiled roofs, significant risk of injuries
H6	Destructive	40-60		Bodywork of grounded aircraft dented, brick walls pitted
H7	Destructive	50-75		Severe roof damage, risk of serious injuries
H8	Destructive	60-90		(Severest recorded in the British Isles) Severe damage to aircraft bodywork
H9	Super Hailstorms	75-100		Extensive structural damage. Risk of severe or even fatal injuries to persons caught in the open
H10	Super Hailstorms	>100		Extensive structural damage. Risk of severe or even fatal injuries to persons caught in the open

Size codes are presented in Table 4.13. The Size Code is the maximum reported size code accepted as consistent with other reports and evidence.

Table 4.13

Hail size and diameter in relation to TORRO Hailstorm Intensity Scale		
Size code	Maximum Diameter mm	Description
0	5-9	Pea
1	10-15	Mothball
2	16-20	Marble, grape
3	21-30	Walnut
4	31-40	Pigeon's egg > squash ball
5	41-50	Golf ball > Pullet's egg
6	51-60	Hen's egg
7	61-75	Tennis ball > cricket ball
8	76-90	Large orange > Soft ball

From April 1, 2017, through March 31, 2022, there have been four occurrences of Hail events in Carlisle County reported by the NCEI. There were no injuries or property damages associated with these events for the plan update period.

Table 4.14 Hail Events and Impacts in Carlisle County April 1, 2017 – March 31, 2022

Location	Date	Time	Time Zone	Magnitude	Deaths	Injuries	Property Damage	Crop Damage
BARDWELL	4/26/2017	18:17	CST-6	0.75 in.	0	0	0.00K	0.00K
BARDWELL	5/27/2017	16:15	CST-6	1.00 in.	0	0	0.00K	0.00K
CUNNINGHAM	3/16/2018	23:10	CST-6	1.00 in.	0	0	0.00K	0.00K
BARDWELL	4/08/2020	18:09	CST-6	1.25 in.	0	0	0.00K	0.00K
TOTALS:					0	0	0.00K	0.00K

Source: National Oceanic and Atmospheric Administration (NOAA), National Centers for Environmental Information (NCEI), Storm Events Database

<https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=21%2CKENTUCKY>

The following event description is typical of the type of hail event experienced in Carlisle County:

- On April 8, 2020, severe thunderstorms occurred during the evening hours as a strong cold front moved southeast into the area. Surface low pressure moved across central Illinois during the late afternoon hours. High temperatures soared into the mid 80's in many locations, which helped to prime the atmosphere for severe thunderstorm development. Surface-based instability was quite strong. Very cold air aloft contributed to steep mid-level lapse rates near 8 C/km, very favorable for large hail. Small clusters of thunderstorms moved east-southeast across western Kentucky. Large hail accompanied some of the storms, and a couple of wind damage reports were received.

SUMMARY AND CONCLUSIONS FOR HAIL PROFILE

There were four hail events during the 5-year update planning period. On average, this means that approximately 1.0 hail event occurs in Carlisle County on any given year. While no hail damage was recorded during this update period, small events are not uncommon. The primary hazard associated with such events is typically property damage in the form of vehicle and crop damage. As there were no hail damages reported for the update period, the annualized cost could not be calculated.

Based on the few recorded events and no reported damages in Carlisle County, the cost of a Hail Event could not be calculated for this update cycle. A historical account of Hail Events recorded in Carlisle County by NCEI can be found in Appendix 1.


Excessive Heat / Drought

Excessive heat is defined as temperatures that hover 10 degrees or more above the average high temperatures for the region and last for several weeks. Humid or muggy conditions, which add to the discomfort of high temperatures, occur when a “dome” of high atmospheric pressure traps hazy, damp air near the ground. Excessively dry and hot conditions can provoke dust storms and low visibility.

Droughts occur when a long period passes without substantial rainfall. Drought conditions can cause significant crop damage, but there is little property damage from excessive heat. Due to the historical occurrences of drought and excessive heat in the Purchase Region, these hazards present a threat not only to the agriculture of the region, but to the aged, and chronically ill population.

The Palmer Drought Severity Index (PDSI) is used to show the relative dryness or wetness in an area and indicates prolonged and abnormal moisture deficiency or excess. The PDSI is used for evaluating the scope, severity and frequency of prolonged periods of abnormally wet or dry weather (Figure 4.10). The PDSI scale follows below.

Figure 4.10 Palmer Drought Severity Index



During the planning period for this update there was a combined total of four events recorded in Carlisle. Of those four events, four have been Excessive Heat and zero Drought events. There were no injuries / fatalities or damage (property or crop) recorded during these events.

Table 4.15 Excessive Heat / Drought Events and Impacts in Carlisle County April 1, 2017 – March 31, 2022

Location	Date	Time	Time Zone	Event Type	Deaths	Injuries	Property Damage	Crop Damage
<u>CARLISLE (ZONE)</u>	7/21/2017	11:00	CST-6	Excessive Heat	0	0	0.00K	0.00K
<u>CARLISLE (ZONE)</u>	07/05/2018	10:00	CST-6	Excessive Heat	0	0	0.00K	0.00K
<u>CARLISLE (ZONE)</u>	7/14/2018	10:00	CST-6	Excessive Heat	0	0	0.00K	0.00K
<u>CARLISLE (ZONE)</u>	8/12/2019	10:00	CST-6	Excessive Heat	0	0	0.00K	0.00K
TOTALS:					0	0	0.00K	0.00K

Source: National Oceanic and Atmospheric Administration (NOAA), National Centers for Environmental Information (NCEI), Storm Events Database

<https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=21%2CKENTUCKY>

The following event description is typical of the type of excessive heat/drought events experienced in Carlisle County:

- On July 14, 2018, several days of oppressive heat and humidity were experienced across parts of western Kentucky. The extreme western end of the state was impacted the most. From Paducah south and west, heat indices peaked in the triple digits on five consecutive days. The highest heat indices were observed on the 14th when values from 110 to 115 were recorded. Areas of northwest Kentucky including Owensboro and Henderson were impacted the least. At Owensboro and Henderson, heat indices peaked around 105 degrees on the 14th. Otherwise, heat index readings generally stayed below 100 in northwest Kentucky. High pressure over the Great Lakes regions pushed a cold front down into the lower Ohio Valley. Heat indices remained persistently dangerous ahead of the cold front, while slightly lower values infiltrated northwest Kentucky.
- During August 12, 2019, heat indices peaked between 105 and 112 degrees across most of western Kentucky except the Owensboro and Henderson area during the afternoon hours. The highest heat indices were over the Mississippi River counties, where the peak heat index ranged from 110 to 112 degrees. Actual air temperatures reached the lower to mid-90's. Dew points were in the mid 70's to near 80, which resulted in the very high heat indices. At mid-levels of the atmosphere, a large ridge of high pressure dominated the southern half of the United States. A weak surface warm front over the lower Ohio Valley caused dew points to pool into the mid 70's to near 80.

SUMMARY AND CONCLUSIONS OF EXCESSIVE HEAT / DROUGHT PROFILE

Combined there have been four heat related events in the county during the 5-year planning period. This divides out to roughly one event every other year. Common sense would dictate that the conditions that generated a heat type event in one county could have generated a heat type event in another. One in every ten events could prove deadly and almost four heat injuries result from every event. From a county perspective the cost of an Excessive Heat Event is difficult to assess as there are no monetary damages available. Of critical concern to the Carlisle County MPT was the potential for human casualties in the form of heat stroke and heat exhaustion causing injury and even deaths.

Information from the above table can be used to define the frequency of Drought Events and the impact of these events throughout the region. Carlisle County experienced zero droughts over the 5-year update period. Drought is mainly a threat to the agricultural segment of the county economy, but it is also having a significant impact on water and wastewater systems.

Based on historic records, there have been no deaths or injuries attributed to excessive heat in Carlisle County. Likewise, there has been no drought impact recorded for individuals or property over this same period. As there are no reported damages or injuries for the planning update period, the annualized cost of a heat related event could not be calculated.

Wildfire

A wildfire is an uncontrollable burning of grasslands, brush or woodlands. The potential for wildfire depends on surface fuel characteristics, weather conditions, recent climate conditions, and topography and fire behavior. There are three different types of wildfire classes:

- *Surface fires* are the most common type. These fires burn along the forest floor moving slowly and will damage and kill trees.
- *Ground fires* are usually started by lightning. These fires burn on or below the forest floor.
- *Crown fires* spread quickly by wind. These fires will move quickly by jumping along treetops.
 - *Spotting* can be produced by crown fires as well as wind and topography conditions. Large burning embers are thrown ahead of the main fire. Once spotting begins, the fire will be very difficult to control.

Kentucky has two defined wildfire seasons: in the spring, February 15 – April 30 and in the fall, October 1 – December 16. These two seasons are separated by periods of higher moisture and colder, less conducive fire weather. When leaves begin to fall from deciduous hardwood trees a thick litter layer forms in wooded areas creating a fuel source for rapidly expanding wildfires. Also, during the fall season, or periods of drought, tall grasses can become very flammable. It is possible for wildfires to occur outside the defined fire seasons during prolonged periods of drought.


Specific outdoor burning laws have been established to lessen the wildfire occurrence during these fire seasons. Kentucky Revised Statute 149.400 prohibits outdoor burning during the defined fire seasons between 6 am and 6 pm unless at a distance of at least 150 feet from woodlands or brushland. In Kentucky, wildfire risks are compounded by the state's extremely high arson rate. Sixty-two percent of Kentucky's wildfires are deliberately set by arsonists.

In the State Hazard Mitigation Plan, the Purchase Region is shown as having a moderate fire danger class, but there are no significant historical occurrences. Wildfires have not been a threat to the Purchase Region as a whole. Nowhere in the region is there higher than "Low" Wildfire danger.

The United State Department of Agriculture and United States Forestry service has a database providing access of the possible impacts wildfires can have on a community.

Figure 4.11 exhibits the wildfire potential for Carlisle County based on the USDA and the U.S. Forestry Service Wildfire Risk to Communities database.

Figure 4.11 County wildfire risk map and purchase region fire risk map




Source: USDA and US Forestry Service Wildfire Risk to Communities

The United States Department of Agriculture, United States Forestry Service data indicates that Carlisle County has a low wildfire probability threat. This is supported by the fact that there are no significant historical occurrences. Wildfires have not been a threat to the Purchase Region as a whole. Nowhere in the region is there higher than “Low” Wildfire danger.

Carlisle County has a low risk of wildfires in the county lower risk than 82% of counties in the United States. Figure 4.12 represents the wildfire exposure Carlisle County communities face.

Figure 4.12 Carlisle County Community Wildfire Exposure
About exposure

Exposure is the intersection of wildfire likelihood and intensity with communities. Communities can be directly exposed to wildfire from adjacent wildland vegetation, or indirectly exposed to wildfire from embers and home-to-home ignition. Communities that are not exposed are not likely to be subjected to wildfire from either direct or indirect sources.



Source : <https://wildfirerisk.org/explore/exposure-type/21/21039/>

SUMMARY AND CONCLUSIONS OF WILDFIRE PROFILE

From April 1, 2017, through March 31, 2022, there have been zero occurrences of Wildfire Events reported in Carlisle County by the NCEI and likewise zero events for the entire Purchase Region. In a search of the NCEI Storm Events Database there are only 11 reported events for the entire region. These occurred between February 1996 and January 2006.

With no historic data for damages to support wildfire as a hazard in Carlisle County, does not mean that there have not been instances of brush fires that had or will have the potential to grow out of control, especially during periods of drought events. It is therefore included as a Hazard in the risk assessment, albeit a low risk, but a risk that needs to be continually assessed and planned for and perhaps anticipated.

The ice storm of 2009 generated massive amounts of fuel, in the form of fallen limbs, and that this risk is greatly diminished at this time. It is likely that there were some number of small field fires during this period however that expense was not documented. According to information found in the 2018 State Hazard Mitigation Plan, Carlisle County has an estimated loss of \$234,857,047.00.

Dam Failure

There is no historical occurrence of damage or injury due to a dam failure in Carlisle County. However, dam failure is considered a hazard. There are approximately 80,000 regulated dams in the United States. In Kentucky the Division of Water regulates 81 dams in the Purchase Region. Dams are classified based on the evaluation of damage possible downstream. The FEMA guide to dam classifications is as follows:

Table 4.16 FEMA Dam Classification

Classification	Description
Class A (Low)	No loss of human life is expected, and damage will only occur to the dam owner's property.
Class B (Moderate/Significant)	Loss of human life is not probable, but economic loss, environmental damage, and/or disruption of lifeline facilities can be expected.
Class C (High)	Loss on one or more human life is expected.

Source: FEMA 333; Federal Guidelines for Dam Safety

Table 4.17 shows the classified as high hazard dams in Carlisle County from Kentucky Regulated Dam.

Table: 4.17 High Hazard Dams in Carlisle County

Dam	Dam ID #	Agency Owner	Jurisdiction(s) Affected
West Fork Mayfield Creek FRS 16	00828	West Fork Mayfield Creek FRS 16	Carlisle


Table 4.18 Dam Classification by County

The chart below lists the existing dams in the area by classification. Carlisle County has 23 structures, 22 evaluated as Class A and one evaluated as Class C.

County	Class A (Low)	Class B (Moderate/ Significant)	Class C (High)
Ballard	3	1	0
Calloway	7	1	0
Carlisle	22	0	1
Fulton	0	0	0
Graves	23	2	6
Hickman	5	1	0
Marshall	3	1	2
McCracken	3	0	0
Total	66	6	9

Figure 4.13 shows the approximate location of the State rated dams in Carlisle County. Please note that due to scaling, multiple dams may appear as a single structure. For planning purposes, the Carlisle County MPT can only speculate that the area inundated by failure of one of these structures would be at least equal to the 100-year flood zone.

Figure 4.13 Carlisle County Dams by Downstream Hazard Potential



Source: Kentucky Department of Water, Kentucky Regulated Dams

Not included in this plan update are two large dams, Kentucky Dam and Barkley Dam, which impound the Tennessee and Cumberland Rivers upstream of McCracken County. Kentucky Dam is operated by the Tennessee Valley Authority (TVA) while Barkley Dam is operated by the U.S. Army Corps of Engineers. For security reasons information regarding these structures is not available however the probability of an earthquake affecting either dam is low based on regular maintenance and monthly inspection of all components of this flood control system.

4:4.3 Assessing Vulnerability: Identifying Assets Overall Summary Vulnerability

The vulnerability of structures to Severe Weather and Earthquake Hazards in Carlisle County is equal to the total structure value of the county. These hazards are not limited to a particular geographic region. All critical facilities in the County were determined to be vulnerable to Severe Weather and Earthquake Hazards.

Carlisle County's vulnerability to flooding was determined by GIS analysis. A GPS derived database on Critical Facilities, and the Kentucky Infrastructure Authority database for Water and Wastewater facilities were brought into GIS. FEMA revised Flood Hazard Areas were added as an overlay and where the data intersected those structures/facilities were deemed vulnerable to a 100-year flood. The vulnerability of county structures was determined by a similar method, laying the Flood Hazard Areas over imagery, to identify which structures were in the flood plain.

Impact & Frequency

The impact and frequency of each hazard has been identified in each hazard profile in the previous section through maps and frequency tables. Impact is addressed further in the charts and narrative discussions found in the following asset identification and vulnerability sections of this plan.

Identification of Assets

This section of the plan identifies what can be affected in each jurisdiction by the different hazard events that occur in the Purchase Region. The information to complete this section was collected from a variety of sources including local jurisdictions, HAZUS 4.0 Kentucky Data, the NOAA NCEI, the 2020 Census, U.S Census Bureau 2020 American Community Survey 5 Year Estimates and the Kentucky Revenue Cabinet. The information was collected, mapped, and summarized by the PADD staff and reviewed and analyzed by the Carlisle County MPT.

This section was prepared using the best available data for identifying the number of buildings, infrastructure and critical facilities and costs associated with them. Point data for flood vulnerability and critical facility locations were developed by the PADD. For this version of the plan, PADD GIS staff analyzed data from flood prone areas of the county and extracted points of critical facilities within the hazard areas. Location data of community structures facilities was collected from the United States Building Blueprint though the structures collected are a combination of commercial and residential properties. Critical Facility data was collected from HAZUS and reviewed by local mitigation planning teams and mapped by PADD GIS staff.

Carlisle County MPT members reviewed the information to determine the vulnerability in each community. For the hazards of tornados, severe thunderstorms, earthquakes, and severe winter storms. Team members were not able to identify specific hazard areas for such events which were determined to potentially affect anything within Carlisle County. These hazards and their occurrence are not limited to any area based on past historical events.

Critical Facilities and Infrastructure

For the purpose of this plan, the JPHMC adopted the definitions of the FEMA HAZUS Loss Estimation Model according to FEMA publication 386-1, version 4.0, pages 3-9 that state the following definitions of critical facilities and infrastructure. HAZUS separates critical facilities into five categories based on their loss potential.

All the following elements are considered critical facilities except Hazardous Materials Facilities. It was determined by the regional council that Hazardous Materials Facilities would not be addressed as critical facilities. Rationale: Hazardous Materials facilities are addressed in existing Emergency Operations Plans at the Facility and jurisdictional level, which are deemed by the committee as being both sufficient and beyond the expertise of the committee.

FEMA Critical Facilities Definitions

- Transportation Facilities include airways – airports, heliports; highways – bridges, tunnels, roadbeds, overpasses, transfer centers; railways – track segments, tunnels, bridges, rail yards, depots; waterways – canals, locks, seaports, ferries, harbors, docks, and piers.
- Lifeline Utility Systems such as potable water, wastewater, oil, natural gas, electric power and communication systems.
- Essential Facilities are essential to the health and welfare of the whole population and are especially important following hazard events. Consider not only their structural integrity and content value, but also the effects on the interruption of their functions because the vulnerability is based on the service, they provide rather than simply their physical aspects. Essential Facilities include hospitals and other medical facilities, police and fire stations, emergency operations systems, evacuation shelters, schools, and health and human services to the PADD.
- High Potential Loss Facilities are facilities that would have a high loss associated with them, both physical and economical, such as nuclear power plants, dams, and military installations.
- Hazardous Materials Facilities include facilities housing industrial/hazardous materials, such as corrosives, explosives, flammable materials, radioactive materials, and toxins. (Note: Not considered in this Plan)

Critical Facilities Estimated Replacement Value Methodology

Due to a software compatibility problem between FEMA's HAZUS program. Cost replacement values were collected by PADD staff from local mitigation planning teams for each county. County and City facilities KACO and KLC insurance values were collected. While cost replacement values for other critical facilities data was collected by reaching out to different organizations (Schools, Water and Sewer companies, airports, hospital, etc.) head of company or

finance officers to receive values. If values were unable to be determined HAZUS facility values were used.

Addresses for critical facilities were updated by the Mitigation Planning Teams for each corresponding county and cost replacement values were collected from various resources.

PADD staff used a combination of GIS data sources and local GIS data layers to build a map of the critical facilities and infrastructure for each jurisdiction found in the hazard area. Estimates were done on a county basis.

Types and Numbers of Buildings for Severe Weather and Earthquake Hazards

Severe Weather Hazards and Earthquakes have been determined to potentially affect anything within each jurisdiction depending on the path of the hazard event. Severe Weather Events: Winter Storm, Thunderstorm Wind, Tornado, Hailstorm, and the potential of Earthquake Events, are five of the top six priorities identified and ranked by the Carlisle County MPT. These hazards and their occurrences are not limited to any area based on past historical events and documentation is provided in the hazard profiles.

Table 4.19 identifies the total number of structures vulnerable to Severe Weather Hazards and Earthquakes. This table represents structures only and was derived from the U.S. Building Blueprint shapefile. Due to data limitations, the number of commercial and residential structures could not be individually determined from the data provided. Future updates of the plan should have a separation of commercial and residential properties if data is available.

Table 4.19 Carlisle County Severe Weather/Earthquake Hazard Vulnerable Assets

County	Number of Structures		
	Structures in County	Structures in Hazard Area	% In Hazard Area
Ballard	7,041	7,041	100%
Calloway	22,328	22,328	100%
Carlisle	4,476	4,476	100%
Fulton	4,091	4,091	100%
Graves	25,720	25,720	100%
Hickman	3,777	3,777	100%
Marshall	24,216	24,216	100%
McCracken	36,549	36,549	100%
Total	128,198	128,198	100%

Sources: <https://github.com/Microsoft/USBuildingFootprints>, PADD GIS

Critical Facilities and Infrastructure at Risk to Severe Weather and Earthquake Hazards

Using the HAZUS MH definition for critical facilities and infrastructure, the PADD staff identified types and numbers of critical facilities and infrastructure that are vulnerable to tornados, thunderstorm wind, winter storm, and earthquakes in Carlisle County.

Table 4.20 shows the number of critical facilities vulnerable to severe storms and earthquakes in Carlisle County. Due to the unpredictability of severe storms and earthquakes all critical facilities are at risk during the hazardous events.

Table 4.20 Carlisle County Critical Facilities & Infrastructure Severe Weather and Earthquake

Type of Facility	# Of Existing Buildings	Current Replacement Value	# In Hazard Area
County EOC			
Communication-Radio			
Fire Stations	6	\$5,214,264	6
Police Stations	2	\$16,773,400	2
Railways			
Government Buildings	6	\$20,417,060	6
Hospitals			
Electric Power Plants			
Package Treatments Plants			
Sewage Plants	3	\$22,382,000	3
Water Plants	3	\$1,891,661	3
Pumping Stations	6	\$798,507	6
Lift Stations	11	\$739,400	11
Flood Control Pump Station			
Wells	6	\$245,000	6
Storage Tanks	4	\$2,181,230	4
Schools	3	\$10,882,403	3
Airport			
Natural Gas Facilities			
Warming Center	1		1
Dams	23		23
Bridges	25	\$10,941,132.7	25
TOTAL	98	\$72,322,257.7	98

Sources: When available local data was used, and all other values were determined using HAZUS MH. The numbers of water treatment facilities are derived from Kentucky Infrastructure Authority, Water Resource Information System and the costs were calculated based on standard planning costs.

** If values were not provided the best estimate was given based on other facilities in Carlisle, and the HAZUS Program.

** Cost replacement values left blank were hard to determine due to many factors involved

Critical Facilities and Infrastructure at Risk to Flooding

The PADD GIS staff produced tables which provide an accurate estimate of the number of structures that are vulnerable to flooding. PADD GIS staff collect Purchase Region Structure Blueprints from US Building Blueprints on Microsoft for the state of Kentucky and clipped out the structures for the Purchase Region. GPS structure points, overlain with the Flood Hazard Areas were the primary source of at-risk data, and for all counties the PADD's data and Water Information System data base were used to determine at risk Critical Facilities.

Table 4.21 summarizes the numbers of structures in the Flood Hazard area for each county. The highlighted areas indicate the data for Carlisle County. These figures by default are also applicable to the vulnerability of structures to Dam Failure.


Table 4.21 Carlisle County Flood Hazard Vulnerable Assets

County	Estimated Number of Structures in Flood Hazard Areas		
	Number of Structures in County	Percentage of Structures in Flood	Number of Structures in Flood Hazard Zone
Ballard	7,041	4.6%	327
Calloway	22,328	1.6%	359
Carlisle	4,476	2.4%	108
Fulton	4,091	4.7%	193
Graves	25,720	1.6%	404
Hickman	3,777	2.3%	85
Marshall	24,216	6.7%	1624
McCracken	36,549	4.3%	1586
Total	128,198	3.7%	4,686

Sources: <https://github.com/Microsoft/USBuildingFootprints>, Purchase Area Development District GIS Database


Figure 4.14 depicts the location of structures in the Flood Hazard area. Figure 4.15, 4.16, 4.17 indicates the location of critical facilities in each jurisdiction relative to the Flood Hazard areas. These maps were presented to the JPHMC for public comment for review during the identification of vulnerable assets for each jurisdiction.

4.14 Carlisle County Flood Zones and Structures




Sources: Flood Hazard Layer, PADD GIS

Figure 4.15 Carlisle County Flood Zone Including Critical Facilities




Sources: Flood Hazard Layer, PADD GIS

Figure 4.16 City of Arlington Flood Zone Including Critical Facilities



Sources: Flood Hazard Layer, PADD GIS

Figure 4.17 City of Bardwell Flood Zone including Critical Facilities



Sources: Flood Hazard Layer, PADD GIS

Table 4.22 summarizes the types and number of critical facilities and infrastructure in the identified Flood Hazard areas. These figures, by default, are also applicable to the vulnerability of structures to Dam Failure. These charts were created using the mapped information above. Each Local MTP sat and discussed what facilities were critical to their jurisdiction. Counties and cities that were present provided input and cost replacement values.

Table 4.22 Carlisle County Flood Vulnerability: Critical Facilities and Infrastructure

County EOC			
Communication-Radio			
Fire Stations	6	\$5,214,264	0
Public Safety Buildings	2	\$16,773,400	0
Railways	0		
Government Buildings	6	\$20,417,060	1
Hospitals			
Electric Power Plants			
Package Treatment Plant			
Sewage Plants PTP	3	\$22,382,000	
Water Plants	3	\$1,891,661	
Pumping Stations	6	\$798,507	
Lift Stations	11	\$739,400	1
Flood Control Pump Station			
Wells	6	\$245,000	2
Storage Tanks	4	\$2,181,230	0
Schools	3	\$10,882,403	0
Airport			
Natural Gas Facilities			
Warming Center	1		0
Dams	23		5
Bridges	25	\$10,941,132.7	21
TOTAL	98	\$72,322,257.7	98

Sources: When available local data was used, and all other values were determined using HAZUS MH. The numbers of water treatment facilities are derived from Kentucky Infrastructure Authority, Water Resource Information System and the costs were calculated based on standard planning costs.

*** If values were not provided the best estimate was given based on other facilities in Carlisle, and the HAZUS Program.*

*** Cost replacement values left blank were hard to determine due to many factors involved*

Carlisle County and the Cities of Arlington and Bardwell are members of the NFIP. Each entity has a Flood Plain Management Ordinance in accordance with the appropriate State Revised Statutes. Therefore, development is not likely to occur in flood regions identified on the FIRMS and by the flood data used in this plan.


Some industrial expansion that takes place will be in existing industrial parks. Any industrial expansion that occurs in the 100-year floodplain will be in accordance with all State and Local ordinances. It is anticipated that any facility developed will be largely engineered out of the flood zones of the Mississippi River.

Wildfire

Types and Numbers of Buildings for Wildfire Hazard

Wildfire were rated by the Carlisle County MPT as a Moderate Risk Hazard. Portions of the county are heavily forested. These areas are being encroached upon by urban growth, creating a danger area known as the Wildland/Urban Interface. In the image below, the probability of an event is shown.

Figure 4.18 Wildfire Probability and Impacts in Carlisle County



Source: United States Department of Agriculture, United States Forestry Service,
<https://www.fs.usda.gov/rds/archive/Catalog/RDS-2020-0016>

Table 4.23 identifies the structures only within the wildfire potential areas in Carlisle County was derived from U.S. Building Blueprint shapefile. Due to data limitations, the types of building structures were not available at the time of this plan.

Table 4.23 Carlisle County Wildland/Urban Interface Wildfire Risk:

County	Structures in County	Structures in None to Very Low	Structures in Low	Structures in Moderate	Structures in High
Ballard	7,041	7,041	0	0	0
Calloway	22,328	22,175	153	0	0
Carlisle	4,476	4,476	0	0	0
Fulton	4,091	4,060	31	0	0
Graves	25,720	25,522	198	0	0
Hickman	3,777	3,764	13	0	0
Marshall	24,216	24,214	2	0	0
McCracken	36,549	36,549	0	0	0
Purchase	128,198	127,801	397	0	0

Sources: USDA Wildfire Hazard Potential and PADD GIS Staff

Critical Facilities and Infrastructure at Risk in the Wildland/Urban Interface

Using the HAZUS MH definition for critical facilities and infrastructure, the PADD staff identified types and numbers of critical facilities and infrastructure that are in or adjacent to the Wildland/Urban interface, and consequently at risk to wildfires.

Table 4.24 Carlisle County Wildfire Vulnerability: Critical Facilities

Type of Facility	# Of Existing Buildings	Current Replacement Value	# In None to Very Low Hazard Area	# In Low Hazard Area
County EOC				
Communication-Radio				
Fire Stations	6	\$5,214,264	6	0
Public Safety Buildings	2	\$16,773,400	2	0
Railways	0			
Government Buildings	6	\$20,417,060	6	0
Hospitals				
Electric Power Plants				
Package Treatment Plant				
Sewage Plants PTP	3	\$22,382,000	1	0
Water Plants	3	\$1,891,661	3	0
Pumping Stations	6	\$798,507	1	0
Lift Stations	11	\$739,400	10	0
Flood Control Pump Station				
Wells	6	\$245,000	7	0
Storage Tanks	4	\$2,181,230	4	0
Schools	3	\$10,882,403	3	0
Airport				
Natural Gas Facilities				
Warming Center	1		1	
Dams	23		23	0
Bridges	25	\$10,941,132.7	25	0
TOTAL	98	\$72,322,257.7	91	0

Sources: When available local data was used, and all other values were determined using HAZUS MH. The numbers of water treatment facilities are derived from Kentucky Infrastructure Authority, Water Resource Information System and the costs were calculated based on standard planning costs.

** If values were not provided the best estimate was given based on other facilities in Carlisle, and HAZUS Program.

** Cost replacement values left blank were hard to determine due to many factors involved

Future Development: Types and Numbers of Future Buildings, Critical Facilities, and Infrastructure

Carlisle County is not expected to grow over the next ten years and in fact may decrease in population based on projections generated by the Kentucky State Data Center. As a result, there will likely be a decrease in the number of occupied residential structures while critical facilities and infrastructure are expected to remain the same. The Flood Plain Management Ordinance will restrict the building of residential structures in mapped flood prone areas.

There are no significant changes in land use anticipated for Carlisle County. Should land use changes occur, they will be included in future updates of the plan where applicable.

Table 4.25 Census Projections for the Purchase Region of Kentucky

County	Census 2000	Census 2010	Census 2020	Census Projections		
				2030	2040	2050
Kentucky	4,041,769	4,339,367	4,505,836	4,461,150	4,721,118	4,785,233
Ballard	8,286	8,249	7,728	7,180	6,558	5,979
Calloway	34,177	37,191	37,103	38,298	38,626	38,424
Carlisle	5,351	4,874	4,826	4,445	4,090	3,765
Fulton	7,752	6,238	6,515	6,132	5,697	5,349
Graves	37,028	37,421	36,649	36,582	36,163	35,758
Hickman	5,262	4,612	4,521	4,094	3,621	3,139
Marshall	30,125	31,101	31,659	31,430	30,794	30,218
McCracken	65,514	65,018	67,875	69,450	70,529	71,761
Purchase	193,495	195,819	196,876	197,611		

Source: Kentucky State Data Center Projection Report for 2022 <http://ksdc.louisville.edu/>

County Structures – Tornado, Earthquake, Severe Thunderstorm, Severe Winter Storm

The PADD staff used the Kentucky State Data Center Household Projections to estimate the future county structure growth for each county. Table 4.26 shows the Kentucky State Data Center Housing Projections.

These numbers would represent the approximate number of future residential structures vulnerable to tornadoes, earthquakes, thunderstorm wind, and winter storms.

Table 4.26 Household Projections

County	2010	2020	Projections		
			2030	2040	2050
Ballard	3,397	3,228	3,060	2,772	2,478
Calloway	15,530	15,108	16,126	16,569	16,616
Carlisle	2,116	2,003	1,845	1,681	1,532
Fulton	2,864	2,725	2,578	2,368	2,157
Graves	14,978	14,742	14,697	14,396	14,180
Hickman	2,028	1,916	1,725	1,512	1,290
Marshall	13,073	13,359	13,301	13,003	12,693
McCracken	28,227	28,932	30,250	30,563	30,828
Purchase Region	82,223	82,013	83,582	82,864	81,774

Source: Kentucky State Data Center <https://louisville.box.com/s/rh39adf5ou0cd0aduxe5dnodanj3ftf0>

The PADD staff and Carlisle County MPT members discussed potential increase in numbers of vulnerable critical facilities, industry, and infrastructure; however, there was no consensus for making a reliable calculation. In future updates, involvement from the local planning process may assist in estimating the increase of critical facilities and infrastructure based on projected population growth.

4:4.4 Assessing Vulnerability: Estimating Potential Losses

Winter Storm, Thunderstorm Wind, Tornado, Earthquake

The total valuation of adjusted property as provided by the Kentucky Department of Revenue was used to estimate the potential dollar loss for all vulnerable structures for the following hazards: Winter Storm, Thunderstorm Wind, Tornado, and Earthquake.

Table 4.27 summarizes the total value of adjusted property as provided by the Kentucky Department of Revenue, and the population for each county as provided by 2020 American Community Survey. These values were used to determine potential dollar losses and the number of people at risk in a county and all its jurisdictions, for those hazards that have no defined area: Winter Storm, Thunderstorm Wind, Tornado, and Earthquake. The figures for Carlisle County are highlighted.

Table 4.27 Total Value of Adjusted Property for the Purchase Region

County	County Square Miles	Population 2020 Census	Total Property Value 2021(\$)
Ballard	246.7	7,728	\$562,799,918
Calloway	385.0	37,103	\$2,670,699,673
Carlisle	189.4	4,826	\$268,513,078
Fulton	205.9	6,515	\$285,685,821
Graves	551.8	36,649	\$2,221,703,207
Hickman	242.3	4,521	\$295,853,256
Marshall	301.3	31,659	\$2,801,935,108
McCracken	248.7	67,875	\$5,629,613,526
Purchase Region	2,371.1	196,876	\$14,736,803,587

Source: United States Census Bureau County Summary, 2020 Census Data, Kentucky Revenue Cabinet, Year Estimate, Kentucky Revenue Cabinet, <https://revenue.ky.gov/Property/Pages/default.aspx>, Statewide Certified Property Values 2021

Table 4.28 Severe Weather/Earthquake Hazard Vulnerable Asset

County	Structures in County	Structures in Hazard Area	% In Hazard Area
Ballard	7,041	7,041	100%
Calloway	22,328	22,328	100%
Carlisle	4,476	4,476	100%
Fulton	4,091	4,091	100%
Graves	25,720	25,720	100%
Hickman	3,777	3,777	100%
Marshall	24,216	24,216	100%
McCracken	36,549	36,549	100%
Purchase Region	128,198	128,198	100%

Source: Microsoft U.S Building Blueprint

PADD staff and the Carlisle County MPT determined that all 4,476 structures in the county are vulnerable to the “area” threats of weather and earthquake. According to the 2020 American Community Survey 5-Year Estimates, the median household income for Carlisle County is \$41,222.

Critical Facilities and Infrastructure for Severe Weather and Earthquakes

It was determined by PADD staff that the best way to estimate the potential dollar loss associated with critical facilities and infrastructure was to use insurance replacement values, when available, for those structures provided by the jurisdictions, or default to values from the HAZUS tables. Table 4.29 summarizes of vulnerable critical facilities and infrastructure to the non-geo specific hazards of Severe Weather and Earthquakes, as well as the potential dollar losses associated with structures in the high priority hazard areas.

**Table 4.29 Carlisle County Critical Facilities & Infrastructure
Severe Weather and Earthquake**

Type of Facility	# Of Existing Buildings	Current Replacement Value	# In Hazard Area
County EOC			
Communication-Radio			
Fire Stations	6	\$5,214,264	6
Public Safety Buildings	2	\$16,773,400	2
Railways			
Government Buildings	6	\$20,417,060	6
Hospitals			
Electric Power Plants			
Package Treatment Plant			
Sewage Plants PTP	3	\$22,382,000	1
Water Plants	3	\$1,891,661	3
Pumping Stations	6	\$798,507	1
Lift Stations	11	\$739,400	10
Flood Control Pump Station			
Wells	6	\$245,000	7
Storage Tanks	4	\$2,181,230	4
Schools	3	\$10,882,403	3
Airport			
Natural Gas Facilities			
Dams	23		23
Bridges	25		25
TOTAL	98	\$61,381,125	91

Sources: When available local data was used, and all other values were determined using HAZUS MH. The numbers of water treatment facilities are derived from Kentucky Infrastructure Authority, Water Resource Information System and the costs were calculated based on standard planning costs.

** If values were not provided the best estimate was given based on other facilities in Carlisle, and HAZUS Program.

** Cost replacement values left blank were hard to determine due to many factors involved

Flood

County Structures: After the vulnerability maps were created for the flood hazard areas, the cost associated with replacing those structures was evaluated. It was the determination of the PADD staff that the best way to estimate the potential dollar loss associated with the flood hazard areas was to use Total Property Value in the county and the 2.4% of structures within the Hazard Area.

Table 4.30 summarizes the total number of structures in the county were determine by the Microsoft U.S. Building Blueprint. This value allowed us to determine 108 structures in the county were within the flooding hazard area. Table 4.30 shows the total property value for the Purchase Region counties from the Kentucky Revenue Cabinet and the property value within the flood Hazard Areas. Carlisle County is highlighted.

Table 4.30 Flood Hazard Vulnerable Structures by County

County	Number of Structures			Total Property Value	
	Structures in County	Structures in Hazard Area	% In Hazard Area	Total Value in County	Value in Hazard Area
Ballard	7,041	327	4.6%	\$562,799,918	\$25,888,796
Calloway	22,328	359	1.6%	\$2,670,699,673	\$42,731,194
Carlisle	4,476	108	2.4%	\$268,513,078	\$6,444,313
Fulton	4,091	193	4.7%	\$285,685,821	\$13,427,233
Graves	25,720	404	1.6%	\$2,221,703,207	\$35,547,251
Hickman	3,777	85	2.3%	\$295,853,256	\$6,804,624
Marshall	24,216	1624	6.7%	\$2,801,935,108	\$187,729,652
McCracken	36,549	1586	4.3%	\$5,629,613,526	\$242,073,381
Total	128,198	4686	3.7%	\$14,736,803,587	\$545,261,843

Sources: Kentucky Revenue Cabinet, <https://revenue.ky.gov/Property/Pages/default.aspx>, Statewide Certified Property Values 2021 and Microsoft U.S. Building Blueprint

Table 4.31 2020 ACS Selected Housing Characteristics

Subject	Ballard	Calloway	Carlisle	Fulton	Graves	Hickman	Marshall	McCracken	Purchase Region
Total Housing Units	3,915	18,924	2,471	3,336	16,862	2,367	16,229	32,237	96,341
Occupied Housing Units	3,052	15,942	1,925	2,550	14,402	1,724	13,119	27,787	80,501
Vacant Housing Units	863	3,432	546	786	2,460	643	3,110	4,450	16,290
Mobile Homes	676	2,555	512	164	2,508	307	2,370	3,005	12,097
Owner- occupied	2,403	9,730	1,573	1,680	10,690	1,383	10,926	17,930	56,315
Renter- occupied	649	5,762	352	870	3,712	341	2,193	9,857	23,736
Household Size – Owner	2.60	2.44	2.45	2.19	2.56	2.34	2.39	2.46	2.43
Household Size– Renter	2.39	1.99	2.34	2.24	2.47	3.21	2.04	2.03	2.34
Median House Value -	\$103,800	\$141,200	\$83,200	\$63,800	\$109,000	\$85,000	\$138,000	\$145,200	\$106,638

Source: U.S. Census Bureau 2020 ACS 5-Year Estimates Data Profile Table DP04

Table 4.31 summarizes the Carlisle County Housing Characteristics based on the 2020 ACS 5-Year Survey.

Critical Facilities and Infrastructure for Flood Hazards

It was the determination of the PADD staff that the best way to estimate the potential dollar loss associated with critical facilities and infrastructure was to use the insurance replacement values for those structures provided by the jurisdictions to the maximum extent possible, or values from the HAZUS data tables. Table 4.32 summarizes the potential dollar loss of vulnerable critical facilities and infrastructure in flood hazard areas by county.

**Table 4.32 Carlisle County Critical Facilities & Infrastructure
Flood Vulnerability**

Type of Facility	# Of Existing Buildings	Current Replacement Value	# In Hazard Area
County EOC			0
Communication-Radio			
Fire Stations	6	\$5,214,264	0
Police Stations	2	\$16,773,400	0
Railways	0	0	
Government Buildings	6	\$20,417,060	1
Hospitals			
Electric Power Plants			
Package Treatment Plant			
Sewage Plants	3	\$22,382,000	
Water Plants	3	\$1,891,661	
Pumping Stations	6	\$798,507	
Lift Stations	11	\$739,400	1
Flood Control Pump Station			
Wells	6	\$245,000	2
Storage Tanks	4	\$2,181,230	0
Schools	3	\$10,882,403	0
Airport			
Natural Gas Facilities			
Dams	23		5
Bridges	25		21
TOTAL	98	\$61,381,125	30

Sources: When available local data was used, and all other values were determined using HAZUS MH. The numbers of water treatment facilities are derived from Kentucky Infrastructure Authority, Water Resource Information System and the costs were calculated based on standard planning costs.

** If values were not provided the best estimate was given based on other facilities in Carlisle, and HAZUS Program.

** Cost replacement values left blank were hard to determine due to many factors involved

Wildfire

After determining the vulnerability of critical facilities to wildfire hazard the wildfire relative risk and exposure risk in Carlisle County were collected from the USDA and US Forestry Service. Table 4.33 represents the wildfire risk Carlisle County faces compared to the United States. Table 4.34 represent homes exposure percentage to wildfires in Carlisle County compared to the United States.

Table 4.33 Carlisle County Wildfire Risk

Relative Wildfire Risk	
Statewide Percentile Rank	
Risk to Homes	16
Wildfire Likely Hood	17
Nationwide Percentile Rank	
Risk to Homes	18
Wildfire Likely Hood	17

Source : <https://wildfirerisk.org/explore/exposure-type/21/21007/>

Table 4.34 Carlisle County Wildfire Exposure

Wildfire Exposure		
	Carlisle County	United State
Percent Total		
Homes Directly Exposed	49.0%	33.0%
Homes Indirectly Exposed	48.0%	30.0%
Homes not Exposed	3.0%	37.0%

Source : <https://wildfirerisk.org/explore/exposure-type/21/21007/>

Figure 4.19 Represents the Vulnerable Populations in Carlisle County at risk if a wildfire hazard was to occur. Collected from the USDA and US Forestry Service wildfire risk to community's database.

Figure 4.19 Wildfire Hazard: Carlisle County Vulnerable Population

Race & Ethnicity

Race and Ethnicity, 2021*	Carlisle County, KY	United States
Total Population	4,821	329,725,481
White alone	4,573	224,789,109
Black or African American alone	"39	41,393,012
American Indian alone	"24	2,722,661
Asian alone	"30	18,782,924
Native Hawaii & Other Pacific Is. alone	"7	615,557
Some other race alone	"8	18,382,796
Two or more races	"140	23,039,422
Hispanic or Latino (of any race)	121	60,806,969
Not Hispanic or Latino	4,700	268,918,512
Not Hispanic & White alone	4,487	196,010,370
People of Color and Hispanic*	334	133,715,111
Percent of Total		
White alone	94.9%	68.2%
Black or African American alone	"0.8%	12.6%
American Indian alone	"0.5%	0.8%
Asian alone	"0.6%	5.7%
Native Hawaii & Other Pacific Is. alone	"0.1%	0.2%
Some other race alone	"0.2%	5.6%
Two or more races	"2.9%	7.0%
Hispanic or Latino (of any race)	2.5%	18.4%
Not Hispanic or Latino	97.5%	81.6%
Not Hispanic & White alone	93.1%	59.4%
People of Color and Hispanic*	6.9%	40.6%

High Reliability: Data with coefficients of variation (CVs) < 12% are in black to indicate that the sampling error is relatively small.

Medium Reliability: Data with CVs between 12 & 40% are in orange to indicate that the values should be interpreted with caution.

Low Reliability: Data with CVs > 40% are displayed in red to indicate that the estimate is considered very unreliable.

* Reliability estimates not yet available.

4:4.5 Assessing Vulnerability: Analyzing Development Trend

The Purchase Region grew 0.54 % in population between 2010 and 2020 compared to a growth of 3.8 % for the state of Kentucky. Carlisle County is projected to lose approximately 2.0 % of its population between 2020 and 2030.

Table 4.35 represents growth trends in the Purchase Region as report by the Kentucky State Data Center using Census information.

Table 4.35 Population Projections for the Purchase Region

County	Census 2000	Census 2010	Census 2020	Census Projections		
				2030	2040	2050
Kentucky	4,041,769	4,339,367	4,505,836	4,641,150	4,721,118	4,785,233
Ballard	8,286	8,249	7,728	7,180	6,558	5,979
Calloway	34,177	37,191	37,103	38,298	38,626	38,424
Carlisle	5,351	4,874	4,826	4,445	4,090	3,765
Fulton	7,752	6,238	6,515	6,132	5,697	5,349
Graves	37,028	37,421	36,649	36,582	36,163	35,758
Hickman	5,262	4,612	4,521	4,094	3,621	3,139
Marshall	30,125	31,101	31,659	31,430	30,794	30,218
McCracken	65,514	65,018	67,875	69,450	70,529	71,761
Purchase	193,495	195,819	196,876	197,611	196,078	194,393

Source: Kentucky State Data Center Projection Report for 2022 <http://ksdc.louisville.edu/>

Land Use

Farmland is the principal land use in Carlisle County. Land use for commercial purposes is primarily concentrated in the downtown areas of incorporated cities. Industrial development takes place primarily in industrial parks. Carlisle County also makes use of land for recreation and greenspace with both city and county space designated for recreational purposes.

Economic and Social Growth Trends

The economy in the Purchase Region is experiencing trends like those of the state averages, both in growth and decline. There have been new businesses and industries opening in the region, but in turn there have been layoffs and closures within the market. Especially during the COVID-19 pandemic which is addressed in the 2022 – 2027 Comprehensive Economic Development Strategy (CEDS) where it was listed as a threat to the region, and the Disaster Resiliency Plan is supplement to that update. The CEDS update mentioned some of the impacts of COVID-19 on the Purchase Region communities while the Disaster Resiliency Plan goes into greater depth and

addresses short-term and long-term approaches to rebuild resilient and sustainable communities throughout the Purchase Region. Data for this portion of plan was collected from the US Census and Purchase Region Community Economic Development Strategy.

Carlisle County is a certified work ready community and strives to encourage all individuals to reach their potential. Carlisle County objective is to maximize opportunity within the county while supporting the residents and businesses. Carlisle County strives to attract new businesses and industries as well as improve broadband within the area and maximize resources in regard to leisure, recreation, and agriculture.

Table 4.36 represents the 2010 and the 2020 Employment Rate for the Purchase Region with Carlisle County being highlighted.

Table 4.36 Employment Rate for 2010 and 2020 for the Purchase Region

Employment Rate	2010	2020
Kentucky	55.3 %	55.90 %
Ballard	52.10 %	49.50 %
Calloway	57.30 %	55.10 %
Carlisle	47.30 %	46.50 %
Fulton	47.30 %	46.50 %
Graves	52.00 %	53.30 %
Hickman	45.9 %	44.50 %
Marshall	54.9 %	51.30 %
McCracken	53.8 %	55.90 %

Source: U.S. Census 2010 and 2020 Table DP03

Table 4.37 Carlisle County Labor Force

CARLISLE COUNTY LABOR FORCE	
Labor Force	Unemployment Rate
2,244	4.0%

Source: Purchase Area CEDS 2022-2027


Table 4.38 Carlisle County Income Data

INCOME	
Per Capita Income	\$29,638
Median Household	\$41,222
Poverty Rate	14.40%

Source: Purchase Area CEDS 2022-2027

Figure 4.20 Represents the level of education within Carlisle County based on the Purchase Region 2020-2027 CEDS Plan.

Figure 4.20 Carlisle County Education



Source: Purchase Area CEDS 2022-2027

Table 4.39 Top 5 Industries in Carlisle County

Top 5 Industries	
Industries	Percentage of Total Employment by Industry
Manufacturing	22.0 %
All Government (Including education)	18.0%
Retail Trade	9.0%
Healthcare and Social Assistance	5.0%
Construction	4.0%

Source: Purchase Area CEDS 2022-2027

While manufacturing and other sectors are important to the region's economy, agriculture proves to be a vital part of the economy. The changes, both hazards related, and non-hazard related, that affect farming greatly impact the Purchase Region. Hazards such as hail, flooding, tornadoes, and high wind damage crops and thus have an effect.

Farming is the most prevalent land use, by area in Carlisle County. Table 4.40 is a summary of the farmland located in the Purchase Region and the land use for those acres.

Table 4.40 Total Farmland Located in Purchase Region

County	Number of Farms	Land in Farms(acres)	Avg. Farm Size(acres)
Ballard	295	94,340	320
Calloway	710	135,521	191
Carlisle	273	88,015	322
Fulton	146	97,615	669
Graves	1,104	251,192	228
Hickman	246	118,474	482
Marshall	699	84,676	121
McCracken	318	62,082	195
Total	3,791	931,915	2,528

Source: U.S. Department of Agriculture, National Agricultural Statistics Service
2017 Census of Agriculture

https://www.nass.usda.gov/Publications/AgCensus/2017/Full_Report/Volume_1,_Chapter_2_County_Level/Kentucky/

Social growth trends also play an important role in the economy of the Purchase Region. Median income and housing characteristics of the region are valuable tools in analyzing these growth trends. Tables 4.41 and 4.42 describe the estimated median income and housing characteristics retrieved from the Kentucky State Data Center Census, 2020 ACS 5-year estimates and 2020 decennial census information.

Little to no population growth (0.4%) is expected to occur in the Purchase Region between 2020 and 2030. Carlisle County is projected to decline in growth by 7.9% during that same time. Development is not likely to occur in flood regions identified by each jurisdiction, because the threat of flooding is known and occurs on an annual basis. Carlisle County, the city of Arlington and the City of Bardwell are members of the NFIP.

Table 4.41 2020 Census and ACS 2020 5-Year Estimates Median Household Income

Area	Median Household Income		
	2010 ACS	ACS 2020	Percent Change
Kentucky	\$41,476	\$52,238	25.64
Ballard	\$41,228	\$45,517	10.40
Calloway	\$39,194	\$41,841	6.75
Carlisle	\$33,909	\$41,222	21.57
Fulton	\$31,965	\$31,587	-1.18
Graves	\$35,277	\$45,614	29.30
Hickman	\$31,836	\$44,063	38.41
Marshall	\$43,326	\$57,348	32.36
McCracken	\$41,630	\$47,011	12.93

Source: Kentucky State Data Center; **U.S. Census Bureau, 2011-2015 American Community Survey 5 Year Estimate and 2020 ACS 5-year estimates

Table 4.42 2020 ACS Census: Selected Housing Characteristics for the Purchase Region

Subject	Ballard	Calloway	Carlisle	Fulton	Graves	Hickman	Marshall	McCracken
Total Housing Units*	3,915	18,924	2,471	3,336	16,862	2,367	16,229	32,237
Occupied Housing Units*	3,052	15,942	2,550	2,550	14,402	1,724	13,119	27,787
Vacant Housing Units*	863	3,432	546	786	2,460	643	3,110	4,450
Mobile Homes*	676	2,555	512	164	2,508	307	2,370	3,005
Owner- occupied*	2,403	9,730	1,573	1,680	10,690	1,383	10,926	17,930
Renter- occupied*	649	5,762	352	870	3,712	341	2,193	9,857
Household Size – Owner*	2.60	2.44	2.45	2.19	2.56	2.34	2.39	2.46
Household Size – Renter*	2.39	1.99	2.34	2.24	2.47	3.21	2.04	2.03
Median House Value – Owner Occupied*	\$103,800	\$141,200	\$83,200	\$63,800	\$109,000	\$85,000	\$138,000	\$145,200

Source: Source * U.S. Census Bureau, 2020 5-Year Estimates table DP04

Non-Ambulatory / Communal Living Facilities

During the update process PADD staff met with the JPMC and agreed upon recognizing Non-Ambulatory / Communal Living Facilities as vulnerable populations. The facilities under this category are important to communities during a disaster but do not fall under FEMA's definition of a critical facility.

While critical facilities keep the government functioning and benefit the community, Non-Ambulatory / Communal Living Facilities protect a percentage of the population that relies on assistance.

The facilities listed below are funded locally or by the state, no private entities were included. The list below includes nursing homes, non-urgent care medical facilities, senior centers, etc.

Table 2.43 Non-Ambulatory / Communal Living Facilities in Carlisle County

Name of Facility	Type of Facility
Carlisle County Senior Center	Senior Center
Countryside Center for Rehabilitation and Nursing	Nursing Facility / Personal Home Care

Climate Change and Kentucky

Kentucky's climate is changing. Although the average temperature did not change much during the 20th century, most of the commonwealth has warmed in the last 20 years. Average annual rainfall is increasing, and a rising percentage of that rain is falling on the four wettest days of the year. In the coming decades, the changing climate is likely to reduce crop yields and threaten some aquatic ecosystems. Floods may be more frequent, and droughts may be longer, which would increase the difficulty of meeting the competing demands for water in the Ohio, Tennessee, and Cumberland rivers. Our climate is changing because the earth is warming. People have increased the amount of carbon dioxide in the air by 40 percent since the late 1700s. Other heat trapping greenhouse gases are also increasing. These gases have warmed the surface and lower atmosphere of our planet by about one degree (F) during the last 50 years. Evaporation increases as the atmosphere warms, which increases humidity, average rainfall, and the frequency of heavy rainstorms in many places—but contributes to drought in others. Natural cycles and sulfates in the air prevented much of Kentucky from warming during the last century. Sulfates are air pollutants that reflect sunlight back into space. Now sulfate emissions are declining, and the factors that once prevented Kentucky from warming are unlikely to persist.

Kentucky Issues due to Climate Change

- Precipitation and Water Resources
 - Annual precipitation in Kentucky has increased approximately 5 percent since the first half of the 20th century. But rising temperatures increase evaporation, which dries the soil and decreases the amount of rain that runs off into rivers. Although rainfall during spring is likely to increase during the next 40 to 50 years, the total amount of water running off into rivers or recharging ground water each year is likely to decline 2.5 to 5 percent, as increased evaporation offsets the greater rainfall.

Droughts are likely to be more severe because periods without rain will be longer and very hot days will be more frequent.

- Flooding
 - Flooding is becoming more severe in the Southeast. Since 1958, the amount of precipitation during heavy rainstorms has increased by 27 percent in the Southeast, and the trend toward increasingly heavy rainstorms is likely to continue. The Tennessee Valley Authority (TVA) and the U.S. Army Corps of Engineers operate Kentucky Dam, Wolf Creek Dam, and other dams to prevent serious floods on the Ohio, Tennessee, and Cumberland rivers. The agencies release water from the reservoirs behind these dams before the winter flood season. By lowering water levels, these releases provide greater capacity for the reservoirs behind those dams to prevent flooding. Nevertheless, dams and other flood control structures cannot prevent all floods. The Ohio River has flooded Louisville several times, for example, and flash floods have caused property destruction and deaths throughout Kentucky.
- Agriculture
 - Longer frost-free growing seasons and increased concentrations of atmospheric carbon dioxide tend to increase yields for many crops during an average year. But more severe droughts and more hot days are likely to reduce yields, especially in the western half of Kentucky, which in seventy years is likely to have 15 to 30 more days with temperatures above 95°F than it has today. Even on irrigated fields, higher temperatures are likely to reduce yields of corn, and possibly soybeans. Higher temperatures are also likely to reduce livestock productivity: hot weather causes cows to eat less, grow more slowly, and produce less milk, and it can threaten their health.
- Human Health
 - Hot days can be unhealthy—even dangerous. High air temperatures can cause heat stroke and dehydration, and affect people’s cardiovascular and nervous systems. Certain people are especially vulnerable, including children, the elderly, the sick, and the poor. Higher temperatures can also increase the formation of ground-level ozone, a key component of smog. Ozone has a variety of health effects, aggravates lung diseases such as asthma, and increases the risk of premature death from heart or lung disease. EPA and the Kentucky Department for Environmental Protection have been working to reduce ozone concentrations. As the climate changes, continued progress toward clean air will require even more reductions in the air pollutants that contribute to ozone.
 -

Actionable Climate Change responses, in the Purchase Region, for reducing the impacts of climate change.

- Restoration of natural systems, increases in the use of green infrastructure, and targeted conservation efforts, especially of groundwater aquifers, can help protect people and nature from climate change impacts.
- Improving urban storm water infrastructure to deal with the increase of flooding, as well as limiting nonporous surfaces. Using Green infrastructure is reducing some of the negative impacts by using plants and open space to absorb storm water.
- Improved basic health services and increased public health measures—including surveillance and monitoring of local trends—can prevent or reduce the impacts of the anticipated increased frequency and intensity of poor air quality days. Establishing cooling and heating stations through the year at a local level for extreme high temperature events.
- Integrating climate adaptation into planning Local processes offers an opportunity to better manage climate risks now. Developing knowledge for decision-making in cooperation with vulnerable communities will help to build adaptive capacity and increase resilience. Scaling urban development and Industrial farming that's sustainable for local aquifers

4:5 Carlisle County Mitigation Strategy

4:5.1 Capability Assessment

Mitigation strategies were developed in response to the hazard profiles and vulnerability of the assets in each jurisdiction. These strategies provide each jurisdiction with a blueprint for reducing potential losses identified in the risk assessment. These strategies are based on existing authorities, policies, programs, resources, and the ability to expand on and improve the existing tools.

The capability assessment has been divided into three sections:

- (A) Existing Authorities, Policies, Programs, and Resources
- (B) Existing Governmental Structure
- (C) Existing Professional Staff Departments

The purpose of the capability assessment is to identify potential hazard mitigation opportunities available to each jurisdiction through daily operations as a local unit of government. This assessment will highlight the positive measures already in place in the jurisdiction as well as identify weaknesses that could increase vulnerability in a jurisdiction. Capability assessment serves as the foundation for an effective hazard mitigation strategy by establishing goals and objectives for jurisdictions.

(A) Existing Authorities, Policies, Programs, and Resources

The PADD, along with MPT members, evaluated existing authorities, policies, programs, and resources in each jurisdiction. Table 4.44 is a summary of each jurisdiction and the current status of these authorities. Local committee members evaluated this information to determine what goals, objectives, and actions would be necessary to effectively mitigate the vulnerability of a jurisdiction and what resources they currently have that can be used to implement the mitigation strategies identified in this plan.

Table 4.44 Existing Authorities, Policies, Programs, and Resources in the Purchase Region

Jurisdiction	Floodplain Management Ordinance	CRS & FMA Plans	Zoning Regulations	Subdivision Regulations	Land Development Plans	Fire Prevention Code	Comprehensive Plan	Capital Improvement Plan	Stormwater Management Plan	CERT Team	NWS Storm Ready Program	Local Economic Development	Regional Economic Development	City Class
Ballard County	X							X		X		X	X	
City of Barlow								X				X	X	6
City of Kevil								X				X	X	6
City of La Center					X		X	X				X	X	5
City of Wickliffe	X							X				X	X	5
Calloway County	X		X	X						X	X	X	X	
City of Murray	X		X	X	X		X		X			X	X	3
City of Hazel												X	X	6
Carlisle County	X									X	X	X	X	
City of Bardwell	X											X	X	5
City of Arlington	X											X	X	6
Fulton County	X									X	X	X	X	
City of Fulton	X		X	X	X		X	X				X	X	4
City of Hickman	X		X		X		X					X	X	4
Graves County	X									X		X	X	
City of Mayfield	X		X	X	X		X		X			X	X	3
City Wingo												X	X	6
Hickman County										X	X	X	X	
City of Clinton	X											X	X	5
City of Columbus												X	X	5
Marshall County	X					X				X	X	X	X	
City of Benton	X		X	X	X	X	X		X			X	X	4
City of Calvert City	X		X	X	X		X	X	X			X	X	4
City of Hardin	X											X	X	5
McCracken County	X		X	X	X	X	X			X	X	X	X	
City of Paducah	X		X	X	X	X	X	X	X			X	X	2

All jurisdictions are members of the PADD. Services are provided by the district in GIS/GPS, Economic Development, Community Development, Aging Services, Workforce Development, and Fiscal Management.

The existing authorities, policies, and programs are further explained in relation to the existing governmental structure and powers of the local jurisdiction. It is the responsibility of each local jurisdiction to develop, enact, and enforce the above referenced authorities and programs.

(B) Existing Governmental Structure

Tables 4.45 (county government) and 4.46 (city government) summarize the governmental structure for each jurisdiction in the PADD. Each jurisdiction is responsible for the implementation of mitigation strategies in their community. These governmental structures were reviewed by the JPHMC to determine the capability of implementing and enforcing existing and future authorities, policies, programs, and resources.

Table 4.45 County Government Structure in the Purchase Region

County	Type of Government
Ballard County	Judge/Executive and 5 magistrates
Calloway County	Judge/Executive and 4 magistrates
Carlisle County	Judge/Executive and 3 magistrates
Fulton County	Judge/Executive and 4 magistrates
Graves County	Judge/Executive and 3 commissioners
Hickman County	Judge/Executive and 3 magistrates
Marshall County	Judge/Executive and 3 commissioners
McCracken County	Judge/Executive and 3 commissioners

Table 4.46 Governmental Structure and Class of Incorporated Cities

City	Class	County	Type of Government
City of Barlow	6	Ballard	Mayor and 4 commissioners
City of Kevil	6	Ballard	Mayor and 6 council members
City of La Center	5	Ballard	Mayor and 4 commissioners
City of Wickliffe	5	Ballard	Mayor and 6 council members
City of Murray	3	Calloway	Mayor and 12 council members
City Hazel	6	Calloway	Mayor and 6 council members
City of Bardwell	5	Carlisle	Mayor and 6 council members
City of Arlington	6	Carlisle	Mayor and 4 commissioners
City of Hickman	4	Fulton	Mayor and 4 commissioners
City of Fulton	4	Fulton	Mayor and 4 commissioners
City of Mayfield	3	Graves	Mayor and 10 council members
City of Wingo	6	Graves	Mayor and 4 commissioners
City of Clinton	5	Hickman	Mayor and 6 council members
City of Columbus	5	Hickman	Mayor and 6 council members
City of Benton	4	Marshall	Mayor and 6 council members
City of Calvert City	4	Marshall	Mayor and 6 council members
City of Hardin	5	Marshall	Mayor and 6 council members
City of Paducah	2	McCracken	Mayor and 4 commissioners

Legal Authority of Local Jurisdictions

There are many tools available to local governments in Kentucky that may help them implement mitigation programs, policies, and actions. Any hazard mitigation program can utilize any or all the five types of government powers granted by the State of Kentucky: Regulation; Acquisition; Taxation; Spending, and Education.

Regulation

- **Police Power:** Local governments have been granted broad regulatory powers in their jurisdictions. Kentucky Revised Statutes grant the general police power to local governments, allowing them to enact and enforce ordinances and laws that define, prohibit, regulate, or abate acts, omissions, or conditions detrimental to the health, safety, and welfare of the citizens of their jurisdiction. The general police power also can define and abate nuisance ordinances, including those related to public health.
- Jurisdictions can include hazard mitigation requirements in their ordinances as protection of public health, safety, and welfare. They may also use this power to enforce nuisance ordinances identifying nuisances that threaten the general health and safety of the public.

- **Building Codes and Inspection:** The construction and rehabilitation of homes, business and other structures according to standards that will make the structures more resistant to the impact of natural hazards is a big part of mitigation activity in a jurisdiction. These standards can be enforced in a jurisdiction through building codes. Through the adoption and enforcement of building codes in each jurisdiction, it can be assured that mitigation strategies are in place for the planning area.
- **Land Use:** Local governments can control the use of land in the jurisdiction through regulatory powers granted to them by the State of Kentucky. Jurisdictions can control certain aspects of development under these powers. The amount and type of growth in a jurisdiction can greatly affect the vulnerability of the community in the event of a natural hazard. Land use powers include the power to enact and enforce zoning ordinances, floodplain ordinances, and subdivision controls, as well as the power to engage in planning.
 - **Acquisition:** The State of Kentucky Revised Statutes allows for jurisdictions to acquire property for public purposes. Acquisition can be a useful tool for mitigation goals in that property in hazard prone areas may be acquired so that future development is prohibited in a hazardous area.
 - **Taxation:** Local governments have been given the power to levy taxes and special assignments by the State of Kentucky. Taxation extends beyond the collection of revenue and can provide the means by which the community develops in the future.
 - **Spending:** Local governments have also been given the power to make expenditures on behalf of the public in their interest. Hazard mitigation principles should be incorporated in the spending decisions made by the local government in a jurisdiction.
- **Education:** Although most residents in a jurisdiction have some knowledge of the natural hazards that potentially threaten their community, most of them have had little formal education about what they as individuals can do to reduce their vulnerability to a natural hazard event. Education involving mitigation strategies and potential vulnerability will be essential for all jurisdictions in the planning area.

(C) Existing Professional Staff Departments

Members of Carlisle County MPT reviewed their existing capabilities based on their current professional staff departments. During the public input meetings, participants determined that the implementation of Mitigation Strategies and Projects would depend on the capability of that department in each jurisdiction.

Table 4.47 Capabilities Assessment: Existing Professional Staff Departments

Jurisdiction	Board of Education	Building Inspectors	Court Clerk	Emergency Management	County/City Treasurer	Mayor /County Judge/Executive	Health Department	Road Department	Sheriff Department	City Police Department	PVA (Tax Assessment)	Social Services	Utilities Department	Churches	Fire Departments	Kentucky State Police
Ballard County	X		X	X	X	X	X	X	X		X	X	X	X	X	X
Wickliffe				X	X	X							X	X	X	X
Barlow				X	X	X							X	X	X	X
Kevil				X	X	X							X	X	X	X
LaCenter				X	X	X							X	X	X	X
Calloway County	X		X	X	X	X	X	X	X		X	X	X	X	X	X
Murray	X	X		X	X	X		X		X			X	X	X	X
Hazel				X	X	X			X				X	X	X	X
Carlisle County	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X
Bardwell		X		X	X	X		X		X			X	X	X	X
Arlington		X		X	X	X		X					X	X	X	X
Fulton County	X		X	X	X	X	X	X	X		X	X	X	X	X	X
Hickman				X	X	X		X		X			X	X	X	X
Fulton	X			X	X	X		X		X			X	X	X	X
Graves County	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X
Mayfield	X	X		X	X	X		X		X			X	X	X	X
Wingo				X	X	X							X	X	X	X
Hickman County	X		X	X	X	X	X	X	X		X	X	X	X	X	X
Clinton				X	X	X				X			X	X	X	X
Columbus				X	X	X							X	X	X	X
Marshall County	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X
Benton		X		X	X	X		X		X			X	X	X	X
Calvert City		X		X	X	X		X		X			X	X	X	X
Hardin				X	X	X							X	X	X	X
McCracken County	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X
Paducah	X	X		X	X	X		X		X			X	X	X	X

The following definitions summarize the duties and responsibilities of the professional staff departments listed in Table 4.47.

The **Board of Education** maintains the operations of the county school system. This board is elected at large by the people of the community. County funds usually maintain the buildings and provide for other capital projects. State funds usually pay for salaries and the purchase of textbooks and supplies.

The **Building Inspectors** are responsible for enforcing the State Building Code, the NFIP, the Community Rating System, and other applicable local codes. These items are enforced through an inspection and permitting program.

The **PVA, Court Clerk, and Sheriff** are elected every four years by the citizens in the county. The PVA is responsible for the valuation of property for tax purposes. The Court Clerk is the custodian of the court system in each county. This office is financed through the State of Kentucky. The Sheriff operates on a budget approved annually by the magistrates (fiscal court) of each county and is responsible for the enforcement of state and local laws.

The **City Police Departments** are responsible for enforcing local and state laws in their designated jurisdiction.

The **Kentucky State Police** are responsible for enforcing local and state law in the entire state of Kentucky.

The **Fire Departments** are responsible for responding to emergencies / medical emergencies, helping with search and rescue after and extinguishing fires in areas where fires have occurred.

The **Road Departments** are responsible for the care and maintenance of the public roadways in their designated jurisdiction.

The **Utility Departments** are responsible for providing water, gas, electric and sewer services to the public.

The **Emergency Management Service** is responsible for the mitigation, preparedness, response and recovery operations for both natural and man-made disasters. The formation of an emergency management office in each county is mandated under the Kentucky Revised Statutes.

The **County/City Treasurers** are responsible for the management of the budget and fiscal programs for their jurisdiction. This also includes the administration of state and federal grants.

The **Mayor or County Judge/Executive** is responsible for overseeing the daily operations of County or City government in their respective jurisdictions. They are also responsible for the enforcement of County/City policies and regulations.

The **Health Departments and Social Services** have separate boards appointed by commissioners. Employment in these departments is approved by the commissioners with state personnel policies applying. These agencies protect and promote public health and provide social services for medical care and governmental social programs for displaced families.

The **Churches** provide shelters, food and water to community members. Churches in the Purchase Region opened their doors during a time of disaster and provide locations for emergency response

teams to set up, helped with search and rescue, helped with clean up, etc. They are a fundamental part of the communities in the Purchase Region.

The **Emergency Management, Road Department, Building Inspectors, and Utilities Department** have been identified as the specific departments that will be responsible for carrying out mitigation activities. Each of these departments has been involved in the hazard mitigation planning process by participating in the JPHMC meetings.

It has been determined by the committee that each of these departments has limited available staff that are responsible for multiple duties within their departments. All jurisdictions have limited funding resources available to hire additional staff. Each staff member is adequately trained to cover their current workload. Increase in work activities, including hazard mitigation activities, will increase the need for additional staff to effectively perform tasks.

The PADD, as a regional planning agency, has become a primary resource for technical assistance for all jurisdictions in the region. The PADD staff are trained in planning, GIS/GPS, financial management and project development.

SUMMARY: Capability Assessment

The available staff and financial resources of the departments in each jurisdiction determine the ability for expansion and improvement of existing authorities, policies, programs, and resources to reduce potential losses. Each county in the PADD has equal ability to enforce and implement mitigation strategies.

The capability of cities in the Purchase Region varies so communities often work cooperatively with county government to perform projects that improve the quality of life for residents, including mitigation projects and activities. Because counties have more resources available to implement mitigation activities, it has been suggested that the goals and objectives be prioritized at a county level. City jurisdictions will have the opportunity at any given time to implement mitigation activities if their capabilities expand and the opportunity exists.

The jurisdictions that have participated in the mitigation planning process are explained in Section 4.40 of this plan. In addition to local participation, the PADD staff has provided professional assistance in GIS and plan development to help enhance the ability of the local jurisdictions to implement mitigation activities. Based on the above information, the local Hazard Mitigation Goals, Objectives and Actions were compiled at a county level, taking city jurisdiction public input into consideration.

4:5.2 Hazard Mitigation Goals

The PADD staff, along with Carlisle County MPT analyzed the loss estimates in the risk assessment to establish goals and objectives for loss reduction. The goals were established on a regional basis with input from local city participants. The goals and objectives will serve as a guide to develop specific actions to reduce potential losses caused by hazard events. These goals and objectives were determined to concur with existing community goals and the goals set forth by the Kentucky State Hazard Mitigation Plan.

Mitigation Goals – The mitigation goals were set to be general, long-term guidelines for hazard mitigation in jurisdictions.

Mitigation Objectives – The mitigation objectives define the strategies and process of implementation to achieve the identified goals. The objectives are specific, measurable, and have a defined completion.

Goal 1: Improve the survivability of critical facilities and infrastructure in order to preserve their capabilities to provide essential services during a hazard event, by reducing the vulnerability of these facilities.

Purpose of Goal in Relation to the Risk Analysis: The 2009 Ice Storm, 2011 flooding & tornadoes, 2021 December tornado underscored the vulnerability of critical facilities and infrastructure during natural hazards. Loss of these capabilities directly affect public health and public safety in part or all of Carlisle County. During a natural hazard event, roadways can be damaged and utility services knocked out. These types of damages hinder emergency first responders from being able to effectively get help to those in need.

The following objectives were formulated as a result of this goal:

- 1.1 Enhance the rapid restoration of transportation systems.
- 1.2 Enhance the rapid restoration of utility systems.
- 1.3 Where possible, move the critical facilities out of flood prone areas.
- 1.4 Enhance the resistance of/harden critical facility structures to the effects of natural hazards.
- 1.5 Enhance the capability to maintain essential public health and public safety services by providing back-up sources of power and redundant communications to critical facilities.

Goal 2: Reduce the potential damaging effects of natural hazards through development policies without limiting the goals for growth of the community.

Purpose of Goal in Relation to the Risk Analysis: It has been determined that potential losses associated with development in the Carlisle County may be greatly reduced by enforcing or developing county and city policies that regulate development in hazard prone areas. Policies that regulate and guide the development of future infrastructure, residential, and industrial projects will reduce the vulnerability of these facilities.

The following objectives have been developed as a result of this goal:

- 2.1 Enforce existing policies and authorities.
- 2.2 Develop new policies such as ordinances and building codes that require new structures to meet standards that will resist natural hazards.
- 2.3 Consider land use planning policies that restrict development in hazard prone areas such as flood zones.
- 2.4 Consider subdivision requirements to protect utilities, such as buried power and phone lines.

Goal 3: Protect public health and safety by increasing public awareness of natural hazards that affect Carlisle County and by fostering a sense of responsibility within the public for mitigating risks associated with those natural hazards.

Purpose of Goal in Relation to the Risk Analysis: It has been determined that the public in Carlisle County needs to be aware of the high-risk areas, and potential harm associated with the natural hazards that affect their area. While policies can be developed to reduce the development in hazard prone areas, public education will ensure that those policies are utilized to their fullest to reduce the number of existing and future structures in those areas. Through public education, individuals may realize the seriousness of potential hazards and act upon this realization by taking steps to secure their property and protect their families against the risks of natural hazards.

The following objectives have been developed as a result of this goal:

- 3.1 Educate the public on potential natural hazards that affect Carlisle County.
- 3.2 Increase public understanding and support of the hazard mitigation process.
- 3.3 Educate the public on how they can take personal responsibility for their own health, safety, and property protection.
- 3.4 Develop and maintain emergency evacuation routes. Educate the public to the location and use of evacuation routes.
- 3.5 Carlisle County has completed the requirements to be considered a “Storm Ready Community.”
- 3.6 Carlisle County has now achieved “Firewise Community” status.

Goal 4: Efficiently make use of public and private funds to increase the capabilities of local jurisdictions to reduce potential losses associated with flood hazard events.

Purpose of Goal in Relation to the Risk Area: It has been determined that potential losses can be reduced in Carlisle County by their ability to effectively communicate, plan, and implement mitigation projects. Efficiently using public or private money to improve communication, planning, and implementation capabilities for the general public as well as key critical facilities can reduce the impact a hazard has on Carlisle County.

The following objectives have been developed as a result of this goal:

- 4.1 Promote inter-agency and inter-local cooperation for the use of funds for mitigation activities.
- 4.2 Take advantage of State Hazard Mitigation grants associated with Disaster Declarations, Pre-Hazard Mitigation Grant announcements, and other grant programs to fund Mitigation Projects
- 4.3 Leverage State and local funding, local match sources and in-kind match resources to get the maximum utility from available Mitigation Funds.

Goal 5: Protect Carlisle County's most vulnerable populations, buildings and critical facilities and infrastructure through the implementation of cost-effective and technically feasible mitigation projects.

Purpose of Goal in Relation to the Risk Area: During the review of the risk analysis, council members determined several structures and critical facilities and infrastructure that will need to have specific mitigation actions taken in order to be effective in reducing the vulnerability. Some identified structures and critical facilities and infrastructure need to be removed from the flood hazard area completely or built to appropriate standards to reduce the potential losses.

- 5.1 Increase the availability of adequate shelters and community shelters for protection from the direct and indirect effects of severe weather events.
- 5.2 Continue to improve early warning of impending severe weather events.
- 5.3 Reduce the number critical facilities and infrastructure in identified flood hazard areas.
- 5.4 Utilize available mitigation measures to reduce the number of vulnerable structures in the flood hazard areas.
- 5.5 Utilize available mitigation measures such as structure elevation to reduce the vulnerability of structures in the flood hazard areas.
- 5.6 Identify and remove stream blockages of tree limbs and trunks, form effective check dams and barrages, and result in the pooling of water during flood events.

Goal 6: Protect dwellings, structures and their occupants along the Wildland/Urban interface from the potential of Wildfire.

Purpose of Goal in Relation to the Risk Area: Although there has yet to be a major wildfire in the Purchase Region, the one documented occurrence of a significant brush fire requiring multiple unit response did occur in Carlisle County. As noted in the risk assessment the county has a low risk of wildfires.

The following objectives have been developed as a result of this goal:

- 6.1 Ensure the protection of first responders.
- 6.2 Enhance the response capability for response to brush fires to mitigate their growth into wildfires.
- 6.2 Facilitate communities/neighborhoods participation in the State's "Firewise" program.
- 6.3 Reduce the quantity of available wildfire fuels in proximity to critical facilities and to any/all structures in Carlisle County
- 6.4 Incorporate fire buffer planning into the design considerations for any new critical facility.

Goal 7: Support and participate in regional Hazard Mitigation Planning.

Purpose of the Goal in Relation to the Risk Area: Carlisle County, the City of Bardwell, the City of Arlington, and representatives of various groups and organizations represented the County and participated in the JPHMC and the development of the regional portion of the plan. Because a regional "Authority" does not exist, the realization of the goals and objectives of the JPHMC Multi-jurisdictional Plan depends on the support and cooperation of Carlisle County the City of Arlington and the City of Bardwell. This is especially true in that; the Regional Goals and Objectives affect all jurisdictions in the Purchase Region, damage to or destruction of the Regional Critical Facilities identified in the plan affect all jurisdictions in the region, the strategies and mitigation projects that will evolve from these goals require the participation of all the jurisdictions in the region and the results will benefit all the participants. In the same vein, Carlisle County, the City of Arlington and the City of Bardwell will require the cooperation and assistance of other jurisdictions, both neighboring and region wide, and the assistance of regional organizations such as the PADD, the Kentucky State Police, KYTC District One, Purchase Area Health Department to help plan, fund and implement Hazard Mitigation projects.

The following objectives have been developed because of this goal:

- 7.1 Request agencies such as the Kentucky Geological Survey and the University of Kentucky to conduct/expand further studies into seismicity, soils, and ground shaking potential within the region.
- 7.2 Continue to update & maintain a regional high resolution, spatially accurate imagery data base from which to extract precise point locations and structure footprints for buildings and other critical facilities.
- 7.3 Adopt an All-Hazard Week public awareness campaign to include earthquake, flood, tornados, and severe storms.

Goal 8: Obtain the best data and analysis available to assess the downstream hazard posed existing dams in the event of their failure.

Purpose of Goal in Relation to the Risk Area: Potential losses can be reduced in a jurisdiction by their ability to effectively plan and implement mitigation projects. To do so, an accurate assessment of the threat posed by Dam Failure must be made to determine the geographic extent of the hazard and the potential impact of the Hazard in terms of threat to the populace and property.

The following objectives have been developed because of this goal:

- 8.1 Identify and map vulnerable structures, critical facilities, and risk prone areas.
- 8.3 Update County EOP as required
- 8.4 Support and participate in ongoing studies simulations and preparedness exercises relating to dam failure.
- 8.5 Monitor other existing dams in cooperation with the Kentucky Division of Water.

4:5.3 Identification and Analysis of Mitigation Measures

The intention of this section is to identify, evaluate, and analyze a range of mitigation actions that will help reduce the potential effects of hazard events identified in the risk assessment in the plan. These actions were derived based on the analysis of the risk assessment and support the goals and objectives identified in the plan.

The following list describes potential loss reduction mitigation actions and techniques identified for mitigation of hazard events. These actions and objectives were determined to have the greatest influence on hazard loss reduction in Carlisle County. Hazard specific mitigation actions are listed in order of priority in accordance with the High-Risk Hazards for the county as identified and prioritized by the Carlisle County MPT.

- Prevention activities are designed to keep current problems from getting worse and to eliminate the possibility of future problems. Prevention activities reduce a jurisdiction's vulnerability to hazard events. This type of activity is especially effective in hazard prone areas where development has not occurred. Prevention activities include the following:
 - Planning and Zoning
 - Floodplain regulations
 - Stormwater management
 - Building codes
 - Capital improvement programs
 - Open space preservation
 - Dam inspection and monitoring
- Property protection activities are designed to adapt existing structures to withstand natural hazards or to remove structures away from hazard prone areas. Property protection activities include the following:
 - Acquisition
 - Relocation
 - Foundation elevation
 - Insurance – flood and homeowner's
 - Retrofitting (includes activities such as wind-proofing, flood-proofing, and seismic design standards)
- Structural projects lessen the impact of a natural hazard by changing the natural progression of the hazard. Engineers usually design these types of projects. Structural projects include the following:
 - Storm sewers
 - Floodwalls
 - Highway Projects
 - Retention Basins
 - Reservoirs
 - Dams
 - Levees
 - Dredging
 - Minor flood control projects
 - Culvert resizing
 - Retaining walls
 - Safe rooms
- Emergency services minimize the impact that a natural hazard has on the residents of a jurisdiction. Usually, actions are taken by emergency response services immediately before, during, or in response to a hazard event. Emergency service activities include the following:
 - Warning systems: sirens / automated calling system
 - Evacuation planning and management
 - Sandbagging for flood protection

- Emergency response services
- Protection of critical facilities
- Emergency generators
- Public information and awareness activities are used to educate the residents of a jurisdiction about the potential hazards that affect their area, hazard prone areas, and mitigation strategies they can take part in to protect themselves and their property. Public information and awareness activities include the following:
 - Public speaking events
 - Outreach projects
 - Availability of hazard maps
 - School programs
 - Library materials
 - Hazard Awareness Weeks
 - Real estate disclosure
 - Storm Ready Community Program
 - Firewise Community Program
 - CERT Teams and CERT Training
 - Citizens Corps Organizations
- Natural resource protection activities include those that minimize hazard losses and preserve or restore the functions of natural systems. Natural resource protection actions include the following:
 - Sediment and erosion control
 - Stream corridor restoration
 - Watershed management
 - Forest and vegetation management
 - Wetlands preservation and management

Hazard specific mitigation activities defined for each goal and objective are listed by priority of risk, and partly based on the capability of the county to acquire funding for such activities. Specific projects included in this plan are either under consideration; Property Acquisition, evolving during this planning process; enhanced early warning throughout the county, or completed; become “Storm Ready Community.”

Table 4.48 Carlisle County Hazard Summary Table

HIGH RISK HAZARDS	TORNADO FLOOD / FLASH FLOOD THUNDERSTORM WIND WINTER STORM/ICE STORM EARTHQUAKE
MODERATE RISK HAZARDS	HAIL EXCESSIVE HEAT / DROUGHT WILDFIRE
LOW RISK HAZARDS	DAM FAILURE

SOURCE: Carlisle County MPT 2022

Tornado Mitigation Activities: Promote public education to individuals, businesses, and schools for hazard events that may include the following.

- Develop a plan of action for a tornado event – include home, work, school, and outdoor situations.
- Have tornado drills on a regular basis.
- Encourage all households to maintain a disaster supply kit:
 - A 3-day supply of water (1 gallon per person per day)
 - Non-perishable food items
 - One change of clothing and shoes per person
 - One blanket or sleeping bag per person.
 - A first-aid kit, including all prescription medicines.
 - A battery-powered NOAA weather radio with warning alarm and extra batteries
 - A flashlight and extra batteries
 - Special items for infants, elderly or disabled individuals
- Listen to the latest forecasts, especially when planning outdoor activities.
- Publicize multi-media access to tornado watches and warnings.
- Inspect designated tornado shelters for compliance with building codes to ensure their ability to withstand high winds.
- Install warning systems that are not completely dependent upon electricity.
- Pursue programs to provide or subsidize the provision of weather radios to low-income populations.
- Evaluate the need for tornado safe rooms, particularly for mobile home parks.
- Analyze the shelter requirements for temporary residents/visitors to the elder care facilities.
- Evaluate the need for tornado safe rooms, particularly for mobile home parks.
- Initiate mobile home anchoring program.
- Build tornado safe room were deemed necessary.
- Ensure all critical facilities have a backup source of power – generators.
- Train, equip and maintain Storm Spotter cadre.
- Build community shelters in critical locations in close proximity to the County EOC.

Flood Mitigation Activities: Promote public education to individuals, businesses, and schools for hazard events that may include the following.

- Enforce City and County Floodplain Ordinances
- Participation in the NFIP
- Promote the purchase flood insurance.
- Construct a levee or flood wall.
- Elevate the lowest floor level of existing structures above the floodplain.
- Elevate flood prone roads.
- When feasible, relocate structures out of the floodplain.
- Acquire and demolish structures in the floodplain.
- Provide openings in foundation walls to allow water to flow in and out.
- Install backflow valves to drains, toilets, and other sewer connections.
- Maintain ditches and storm water drainage systems.
- Ensure all critical facilities have a backup source of power – generators.
- Sedimentation control (dredging)
- Wetland restoration
- Stream re-alignment
- Increase culvert cross section.
- Dredge existing channels to maintain current depths and flows.
- Identification and removal of stream blockages of tree limbs and trunks forming effective check dams and barrages and resulting in the pooling of water during flood events.
- Continue to monitor and evaluate the vulnerability of repetitive loss properties to determine if Mitigation action is warranted. Take mitigation action elevation, acquisition or other as required.

Figure 4.21

City of Bardwell Flood Mitigation Project:

Provide further protection from inundation to the City of Bardwell's commercial area and US Highway 51 where it passes through the city. Provide protection from the ravages of Shawnee Creek with an adjacent berm, stream realignment or levee. The image below shows the locations of the Commercial Center, US Highway 51 and Shawnee Creek.




Figure 4.22

City of Arlington Flood Mitigation Project:

Within circled area in map below. Provide protection from inundation to residential areas of the City of Arlington. Provide protection of Critical Wastewater system lift station/force main. Provide protection from inundation for the Arlington Water Treatment Plant.




Carlisle County Flood Mitigation Project

Periodic, flooding occurs along the West Fork of Mayfield Creek in Carlisle County. Of particular concern to the Carlisle County MPT is the Vulnerability of US Highway 62 where it crosses the West Fork. See project area image below. This location needs to be studied to determine what steps can be taken to assure the viability of this critical line of communication.



Carlisle County applied in 2010 grant for a soil stabilization project in the river bottoms on CR-1217, Berkley-Fishlake Road. Twice a year every year when the river floods the road department must go down there and rebuild the roads. The county paid for a mile of it on its own as a test spot to see if it would help with the annual spring/fall flooding issues. The one mile they completed only requires the debris being graded off the road, no more gravel, no more filling holes, etc.

Figure 4.24 Carlisle County Road Stabilization Project



Thunderstorm Wind / Hail Mitigation Activities: Promote public education to individuals, businesses, and schools for hazard events that may include the following.

- Listen to the latest forecasts, especially when planning outdoor activities.
- Keep a NOAA weather radio with extra batteries nearby to listen for weather updates.
- Listen especially for severe thunderstorm watches and warnings.
- Practice lightning safety.
 - Outdoor activities should not take place when lightning is present.
 - Fully enclosed vehicles and large permanent buildings provide safe havens from lightning.
- Pursue programs to provide or subsidize the provision of weather radios to low-income populations.
- Promote trimming of tree limbs and debris, particularly in areas close to critical facilities and infrastructure such as power lines.
- Ensure all critical facilities have a backup source of power - generators.

Winter Storm Mitigation Activities: Promote public education to individuals, businesses, and schools for hazard events that may include the following.

- Make sure critical facilities have a backup source of heat.
- Provide public education as to the safe use of back up heat sources.
- Promote trimming of tree limbs and debris, particularly in areas close to critical facilities and infrastructure such as power lines.
- Evaluate subdivision regulations for inclusion of underground utilities for new development.
- Promote public education to individuals and families, business, and schools for Winter Storm Events and include the following:
 - Insulate the walls and attic of structures.
 - Caulk and weather-strip doors and windows.
 - Allow water to slowly drip from faucets to prevent pipes from freezing.
 - Check the antifreeze and battery in vehicles.
 - Stay off snow- or ice-covered roads if possible.
 - Keep a supply of non-perishable food and water.
 - Ensure all critical facilities have a backup source of power - generators.

Earthquake Mitigation Activities: Promote public education to individuals, businesses, and schools for hazard events that may include the following.

- Support, encourage, and lobby for the continuing study of the threat of ground shaking from the Wabash and New Madrid Seismic Zones.
- Evaluate public critical facilities and infrastructure to determine their resistance to ground movement.
- Replacement of brittle water and wastewater infrastructure specifically cast iron pipe, asbestos cement pipe, and vitreous clay pipe.
- Ensure that all homes and other structures are secured to their foundations.
- Enforce existing seismic building standards (current building code)


- Identify “safe places” in structures that are vulnerable during an earthquake. A safe place might include space under a sturdy table or desk against an interior wall. Stay away from windows.
- Practice the “drop and cover” technique in each identified safe place. Drop under your identified safe place, duck your head between your knees, and cover the back of your neck with your hands. Practice makes this process an automatic response in the event of an earthquake.
- Develop an action plan for an earthquake event – include home, work, school, and outdoor situations.
 - Secure heavy furniture to walls. Brace or anchor high or top-heavy objects.
 - Purchase earthquake insurance if available.
 - Install strong latches on all cabinet doors. This will prevent them from spilling their contents in the event of an earthquake.
 - Secure items on shelves or bookcases that might fall and cause injury during an earthquake. Move large or heavy items to lower or bottom shelves.
 - Store breakable or glass items in cabinets with latches.
 - Brace overhead light fixtures.
 - Secure water heater to wall studs.
 - Install flexible pipe fittings. These fittings are less likely to break.
- Participate in any/all earthquake planning and exercises at the State and National level.

Figure 4.25

City of Arlington

Earthquake Mitigation Project

The City of Arlington’s proximity to the New Madrid fault and the potential for ground movement, puts at risk the Cities already fragile and deteriorating wastewater system. This system already poses a hazard due to considerable I&I during rain events. Relining or replacing the system would reduce/eliminate the I&I and significantly reduce the risk of total system failure from an earthquake event. (See Earthquake Appendix)



Excessive Heat and Drought Mitigation Activities: Promote public education to individuals and families, business, and schools for hazard events that may include the following.

- Programs focused on at risk populations, Senior Citizens, very young children.
- Air conditioner/fan loan or subsidized purchase program
- Identification of cooling shelters.
- Replacement of brittle water and wastewater infrastructure specifically cast-iron pipe

Wildfire Mitigation Activities: Promote public education to individuals and families, business, and schools for hazard events that may include the following.

- Each community to strive to be a “Firewise” Community.
- Promote public education to individuals and families, business, and schools for Wildfire Threat include the following:
 - Proper storage of flammables or Class Shingles or tin on roofs or Masonry construction
 - Remove plants with resins, waxes, or oils from landscaping.
 - Remove dead branches.
 - Reduce the amount of fuel around homes.
- Aggressively reduce available fuels in the vicinity of critical facilities
- Amnesty programs for hazardous materials/storage vessels
- Tire amnesty programs
- Removal of potential fuels from the vicinity of Critical Facilities

Pursue the acquisition of equipment and training to rapidly respond to brush fires to mitigate their becoming wildfires.

Dam Failure Mitigation Activities: Promote public education to individuals and families, business, and schools for hazard events that may include the following.

- Access and analyze USACE and TVA inundation maps or models for the projected downstream impact of the catastrophic failure of the Kentucky Dam and Barkley Dam.
- Assess the structures at risk to inundation.

4:5.4 Implementation of Mitigation Measures

The purpose of this section is to provide a road map on how the mitigation actions identified in this plan will be prioritized, implemented, and administered in the Purchase Region.

All jurisdictions will adopt the JPHM Plan by November 2023. Each county and city in the PADD have equal ability to enforce and implement mitigation strategies. The smaller Cities in the Purchase Region, depend greatly upon the county government, and the PADD for support and combine resources to perform projects that improve the quality of life for residents, including mitigation projects and activities.

Because counties have more resources available to implement mitigation activities, it has been suggested that the goals and objectives be prioritized at a county level. City jurisdictions will have the opportunity at any given time to implement mitigation activities if their capabilities expand and the opportunity exists.

The jurisdictions that have participated in the mitigation planning process are explained in this plan. In addition to local participation, the PADD staff has provided professional assistance in GIS and plan development to help enhance the ability of the local jurisdictions to implement mitigation activities.

Funding: The jurisdictions of the PADD will attempt to utilize the following funding sources in implementing goals, objectives and actions when possible: the Hazard Mitigation Grant Program (HMGP), the Flood Mitigation Assistance Program (FMA), the Pre-Disaster Mitigation Program (PDM), Hazard Mitigation Technical Assistance Programs (HMTAP), the National Earthquake Technical Assistance Program, the Wind and Water Technical Assistance Program, and local funding.

Project Prioritization: Carlisle County will maintain the list of set goals, objectives, and actions that have been identified in this plan. These items were prioritized based on a set of criteria located in the FEMA Multi-Hazard Mitigation Planning Guidance that includes social, technical, administrative, political, legal, economic, and environmental factors (STAPLE+E) within the county jurisdictions.

Each action was given a high, medium, or low priority based on those criteria. The mitigation actions with the highest priority were the most cost effective and most compatible with the jurisdiction's social and cultural values. The PADD staff reviewed each jurisdiction's priorities annually to ensure that they were properly prioritized. The designated council representative from each jurisdiction will be responsible for maintaining this list.

The STAPLE+E criteria guidelines for action prioritization that were given to the council members in order to analyze their actions were as follows:

Table 4.49 STAPLE+E Criteria Explanation

STAPLE+E Criteria Explanation	
S - Social	Mitigation actions are acceptable to the community if they do not adversely affect a particular segment of the population, do not cause relocation of lower income people, and if they are compatible with the community's social and cultural values.
T – Technical	Mitigation actions are technically most effective if they provide long-term reduction of losses and have minimal secondary adverse impacts.
A – Administrative	Mitigation actions are easier to implement if the jurisdiction has the necessary staffing and funding.
P – Political	Mitigation actions can truly be successful if all stakeholders have been offered and opportunity to participate in the planning process and if there is public support for the action.
L – Legal	It is critical that the jurisdiction or implementing agency have the legal authority to implement and enforce a mitigation action.
E – Economic	Budget constraints can significantly deter the implementation of mitigation actions. It is important to evaluate whether an action is cost-effective, as determined by a cost-benefit review, and possible to fund.
E - Environmental	Sustainable mitigation actions that do not have an adverse effect on the environment, that comply with Federal, State, and local environmental regulations, and that are consistent with the community's environmental goals, have mitigation benefits while being environmentally sound.

Table 4.49 represents actions related to the goals and objectives set forth in this plan, prioritized by each jurisdiction. The table identifies the hazard the action addresses, the action, the action priority, an implementation timeline, the entity responsible for the action, and the potential sources of funding for the action.

Tables 4.50-4.52 represent the non-process actions requiring construction or acquisition related to the goals and objectives set forth in this plan, prioritized by each jurisdiction. The table identifies the hazard, the action, the action priority, the STAPLE + E, the Responsible Entities, Potential funding sources or funding for action, and to which Community Rating System (CRS) action category each project belongs.

Table 4.53 represents process actions that, thusly, are of High priority to Carlisle County and to its incorporated jurisdictions equally: For example, it is expected that “adopting and enforcing building codes” applies with equally “High” priority to Carlisle County and to its incorporated cities Arlington and Bardwell.

Construction / Non-Process Projects to Be Pursued by Each Jurisdiction:

Table 4.50: Carlisle County, Unincorporated

Hazard	Action	Priority	STAPLE + E	Responsible Entities	Potential Funding Sources	CRS Action Category	Completion Time frame
Flooding	Elevate segments of roads prone to flooding	High	S, T, A, P, L, E1, E2	Fiscal Court; KYTC	Local, State, Federal Grants	Structural	Long Term
Flooding	Acquire/Demolish Repetitive-Loss Properties	High	S, T, A, P, L, E1	Fiscal Court; KYEM; FEMA	FEMA HMA, Local	Property Protection	On Going
Flooding	Relocate Critical Facilities out of flood-prone areas or elevate them	High	S, T, P, L, E2	Fiscal Court; Owners of Facilities	Local, State, Federal Grants Programs	Property Protection	On Going
Tornadoes	Purchase and Install Emergency Warning Sirens for the Cunningham Community	High	S, T, A, P, E1	Fiscal Court	Local, FEMA HMA	Emergency Service Measures	Immediate
Tornadoes	Construct Community Safe Room for the Cunningham Community	High	S, T, A, P, E1,	Fiscal Court	FEMA HMA, Local	Structural; Emergency Service Measures	Immediate
All Identified Hazards	Purchase Generators for Critical Facilities such as the EOC	High	S, T, A, P, E1,	Fiscal Court	Local, FEMA HMA	Emergency Service Measures	On Going
All Identified Hazards	Purchase Emergency Power Sources for rural areas' designated shelters	High	S, T, P, L, E1	Fiscal Court	Local, Federal HMA	Emergency Service Measures	Immediate
Flooding	Develop a Debris Removal Plan for Streams and Ditches	Medium	S, P, L, E1, E2	Fiscal Court; Public Works	Local, Federal Grants	Public Information; Natural Resource Protection	On Going
Tornadoes; Severe Storms, Ice Storms	Trim Trees and Debris from Overhead Powerlines	Medium	S, P, L, E1	Utilities Providers	Private, Local	Preventative Activities	On Going
Wildfires	Purchase Equipment to suppress brush fires	Medium	S, P, E1	Fire Departments; Fiscal Court	Non-Profit, Private, Local, Federal Grants	Natural Resource Protection	Long Term
All Identified Hazards	Upgrade Emergency Services Communication Equipment (for Critical Facilities)	Medium	S, T, P, E1	Emergency Management Agency	FEMA / DHS, Other Federal Grants, Local	Emergency Services Measures	On Going
All Identified Hazards	Energy/Grid Resilience	High	S, T, L, P, E1	Fiscal Court, EMA, Owners of Facilities	FEMA, HMA, Local, State, and Federal Grants	Emergency Services Measures	On Going

Table 4.51 Arlington, City of

Hazard	Action	Priority	STAPLE + E	Responsible Entities	Potential Funding Sources	CRS Action Category	Completion Timeframe
Flooding	Study cause of flooding along KY 80, Broadway, Washington, Plant and Central Streets identify measures to alleviate	High	S, T, A, P, L, E1, E2	City	Local, State, Federal Grant Programs	Structural	Immediate
Tornadoes	Purchase and Install Emergency Warning Sirens for portions of Arlington that don't have adequate coverage	High	S, T, A, P, L, E1	City; Fiscal Court	Local, FEMA HMA	Emergency Service Measure	Immediate
Tornadoes	Construct Community Safe Room for the City of Arlington	High	S, T, A, P, L, E1	City	FEMA HMA, Local	Structural; Emergency Service Measures	Immediate
All Identified Hazards	Purchase Generators for Critical Facilities such as City Hall	High	S, T, A, P, E1	City	Local, FEMA HMA	Emergency Service Measures	On Going
Tornadoes; Severe Storms; Ice Storms	Trim Trees and Debris from Overhead Powerlines	Medium	S, P, L, E1	Utilities Providers	Private, Local	Preventative Activities	On Going
All Identified Hazards	Energy/Grid Resilience	High	S, T, L, P, E1	Fiscal Court, EMA, Owners of Facilities	FEMA, HMA, Local, State, and Federal Grants	Emergency Services Measures	On Going

Table 4.52 Bardwell, City of

Hazard	Action	Priority	STAPL E + E	Responsible Entities	Potential Funding Sources	CRS Action Category	Completion Timeframe
Flooding	Identify measures to alleviate flooding along KY 123, Edwards, Jennings, Mill, Front and West Court Streets and implement	High	S, T, A, P, L, E1, E2	CITY	Local, State, Federal Grants Programs	Structural	Immediate
Tornadoes	Purchase and Install Emergency Warning Sirens for the areas in Bardwell that don't have adequate coverage	High	S, T, A, P, L, E1	CITY	Local, FEMA HMA	Emergency Service Measures	Immediate
Tornadoes	Construct Community Safe Room for the City of Bardwell	High	S, T, A, P, L, E1	CITY	FEMA HMA, Local	Structural; Emergency Service Measures	Immediate
All Identified Hazards	Purchase Generators for Critical Facilities	High	S, T, A, P, L, E1	CITY	Local, FEMA HMA	Emergency Service Measures	On Going
Tornadoes; Severe Storms; Ice Storms	Trim Trees and Debris from Overhead Powerlines	Medium	S, P, L, E1	UTILITIES PROVIDERS	Private, Local	Preventative Activities	On Going
All Identified Hazards	Energy/Grid Resilience	High	S, T, L, P, E1	Fiscal Court, EMA, Owners of Facilities	FEMA, HMA, Local, State, and Federal Grants	Emergency Services Measures	On Going

Table 4.53 Process Mitigation Actions That Apply to Carlisle County and Each of Its Incorporated Cities (Arlington and Bardwell) with Equally (i.e., “High”) Priority

Hazard	Action	Priority	Responsible Entities	Potential Funding Sources	CRS Action Category	Completion Timeline
All Identified Hazards	Upgrade Emergency Services Communication Equipment (for Critical Facilities)	High	Carlisle County, Emergency Management Agency	FEMA/DHS Other Federal Grants, Local	Emergency Services Measures	Immediate
Flooding	Enforce NFIP Flood Ordinances	High	County and City Executives. Floodplain Managers	Fiscal Court; City Councils	Preventative Activities	On Going
Flooding	Monitor, Evaluate, Collect Damages Data to determine additional and on existing Repetitive-Loss Properties	High	County EMAs; City Approved Designees; Floodplain Managers	Fiscal Court; City Councils	Preventative Activities; Property Protection	On Going
All Identified Hazards	Promote the Usage of NOAA Weather Radios	High	County and City EMA and EM Agents	Fiscal Court; City Councils	Preventative Activities; Public Information	On Going
Flooding	Provide Updated Floodplain Mapping and other information regarding flood-prone areas to Public	High	County and City EMA and EM Agents; Floodplain Managers; Insurance	Fiscal Court; KYEM; KDOW	Preventative Activities; Public Information	On Going
Earthquakes; Flooding	Public Outreach regarding Importance of and Availability of Earthquake and Flood Insurance	High	County; City; County EMA and EM agents; Floodplain Managers; Insurance	Fiscal Court; City Councils; KYEM; KDOW; UK-KGS	Public Information; Preventative Activities	On Going

All Identified Hazards	Adopt and Enforce Building Codes	High	County; City; Building Inspection agents	Fiscal Court; City Councils; KYEM; FEMA (through HMGP Initiative)	Preventative Activities	Long Term
All Identified Hazards	Public Outreach for the Development of Evacuation Plans and Procedures relevant to All Identified Hazards	High	County; City	Fiscal Court; City Councils; KYEM	Public Information; Emergency Service Measures, Preventative Activities	Long Term
All Identified Hazards	Develop and Implement a Protection Program for Critical Information Systems	High	County; City	Fiscal Court; City Council	Emergency Services Measures; Preventative Activities	Long Term
Flooding	Participate in Wetlands Restoration projects along Mississippi River drainage basin	High	County; City; Ad-hoc Regional Entities	Fiscal Court; City Councils; Federal Grants	Natural Resource Protection	Long Term
All Identified Hazards	Energy/Grid Resilience	High	Fiscal Court, EMA, Owners of Facilities	FEMA, HMA, Local, State, and Federal Grants	Emergency Services Measures	On Going

**All actions and projects apply to the county and all city jurisdictions within the county.*

As funding becomes available, these projects will be pursued. However, this listing is not a commitment by the jurisdictions to pursue each project. Some projects may be cost prohibitive, not as desirable as initially thought, or overridden by competing priorities.