

Purchase Area Development District Regional Transportation Asset Inventory



**1002 Medical Drive
P.O. Box 588
Mayfield, Kentucky 42066
270-247-7171
270-251-6110 (fax)
www.purchaseadd.org**



TABLE OF CONTENTS

CHAPTER	PAGE
1. Introduction	
1.1 History of Program	1-1
1.2 Map of ADD, HDO, MPO Boundaries	1-4
1.3 Purpose of Regional Transportation Asset Inventory	1-5
2. Development, Review and Ranking of CHAF Projects	
2.1 Introduction.....	2-1
2.2 How CHAF works	2-2
2.3 Maps of CHAF Locations	2-3
3. Major Freight Users Inventory (MFUI)	
3.1 Introduction.....	3-1
3.2 Maps of MFUI Locations and other Traffic Generators.....	3-2
4. NHS Intermodal Connector Review	
4.1 Introduction.....	4-1
4.2 Map of NHS with Major Intermodal Terminals.....	4-5
4.3 Kentucky Highway Freight Network	4-5
4.4 Map of Kentucky Highway Freight Network	4-6
5. Truck Parking Inventory	
5.1 Introduction.....	5-1
5.2 Map of Truck Parking Facilities by Type.....	5-2
6. Rail Freight Loading / Unloading Facilities	
6.1 Introduction.....	6-1
6.2 Map of Rail Yard Locations	6-2
7. Bicycle Pedestrian Assets	
7.1 Introduction.....	7-1
7.2 Map of Completed Collections Locations	7-2
8. Park & Ride Inventory.....	8-1
8.1 Introduction.....	8-1
8.2 Location Map of Park & Ride Location.....	8-2
9. Scenic Byways	9-1
9.1 Introduction.....	9-1
9.2 Location Map of Scenic Byway	9-2
10. Transportation Terms and Acronyms	
10.1 Glossary of Commonly used terms	10-1

CHAPTER 1: INTRODUCTION

1.1 History of Program

Kentucky has maintained a statewide transportation planning process since the 1970s through its fifteen (15) Area Development Districts (ADDs). The federal emphasis on comprehensive transportation planning and public involvement began with the enactment of the Intermodal Surface Transportation Efficiency Act (ISTEA) of 1991 and has continued through subsequent legislation, including the Transportation Equity Act for the 21st Century (TEA-21), the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU), the Moving Ahead for Progress in the 21st Century Act (MAP-21), and the Fixing America's Surface Transportation (FAST) Act. Building upon these federal requirements and its longstanding commitment to data-driven transportation planning, the Kentucky Transportation Cabinet (KYTC) developed the Strategic Highway Investment Formula for Tomorrow (SHIFT), a transparent and objective process used to evaluate and prioritize transportation projects across the Commonwealth. Most recently, the Infrastructure Investment and Jobs Act (IIJA), also known as the Bipartisan Infrastructure Law (BIL), was signed into law on November 15, 2021, providing historic levels of funding for transportation infrastructure and creating new opportunities for state, regional, and local transportation investments.

These federal transportation laws and state initiatives emphasize a continuing, cooperative, and comprehensive transportation planning process that includes meaningful public participation, coordination between statewide and metropolitan planning organizations, fiscal constraint in transportation programming, and consideration of all transportation modes, including highways, transit, rail, aviation, waterways, bicycle, and pedestrian facilities. Public involvement remains a cornerstone of the planning process, ensuring that transportation investments reflect the needs and priorities of Kentucky's communities.

The Kentucky Transportation Cabinet (KYTC) carries out its statewide transportation planning program through a cooperative partnership involving the KYTC Central Office, twelve (12) Highway District Offices (HDOs), fifteen (15) Area Development Districts (ADDs), and ten (10) Metropolitan Planning Organizations (MPOs). The ADDs and MPOs play a vital role in identifying transportation needs, collecting and analyzing transportation data, engaging local officials and the public, and coordinating regional transportation priorities throughout the Commonwealth. Kentucky's transportation project prioritization process is centered on SHIFT. Through this process, transportation projects are evaluated using objective performance measures such as safety, congestion, economic growth, benefit-cost analysis, asset management, and resilience. Transportation needs identified through local input, regional planning efforts, technical studies, and public engagement are entered into KYTC's Continuous Highway Analysis Framework (CHAF), where projects are analyzed and scored through SHIFT. The results are used to help inform the Governor's Recommended Highway Plan and the Kentucky Six-Year Highway Plan, ensuring that transportation investments are aligned with statewide goals and regional priorities.

KYTC Policies and Procedures for the Regional Transportation Program outline the policies and guidelines governing the relationship between KYTC and the ADDs. State legislation enacted in 1972 established the Area Development Districts under Chapter 147A of the Kentucky Revised Statutes (KRS). Since that time, the ADDs have served as a critical link between local communities, regional planning efforts, and statewide transportation decision-making by fostering collaboration among local governments, transportation agencies, and the public. The ADDs primarily conduct transportation planning activities for the rural areas of the Commonwealth, while the MPOs are responsible for transportation planning activities within Kentucky's urbanized areas. The ADDs are concerned with all modes of transportation, including highway, transit, rail, air, water, bicycle, and pedestrian facilities. Transportation planning frequently extends beyond jurisdictional boundaries, requiring ongoing coordination among ADDs, MPOs, Highway District Offices, local governments, transit agencies, and other transportation stakeholders.

The Purchase Area Development District (PADD) is composed of the eight-county Purchase region in far western Kentucky, including Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, Marshall, and McCracken Counties. PADD serves as the regional planning organization for transportation and other community development initiatives, working closely with local governments, KYTC, and other partners to identify needs, facilitate public involvement, and support the development of a safe, efficient, and multimodal transportation system for the region.

Purchase Area Development District



This map was produced in cooperation with the Kentucky Transportation Cabinet



ADD, MPO and KYTC Highway District Contacts

BARREN RIVER

Ethan Bates
270-781-2381

BUFFALO TRACE

Melissa Hardy
606-564-6894

GATEWAY

Jocelyn Gross
606-780-0090

KENTUCKY RIVER

Scott Melton
606-436-3158

NORTHERN KENTUCKY

Jeff Thelen
859-283-1885

BIG SANDY

Aaron King
606-886-2374

CUMBERLAND VALLEY

Jason Hawkins
606-864-7391

GREEN RIVER

Jennifer Alvey
270-852-1350

LAKE CUMBERLAND

Hayden Hancock
270-866-4200

PENNYRILE

Angela Herndon
270-886-9484

BLUEGRASS

David Gambrel
859-269-8021

FIVCO

Tim Wright
606-929-1366

KIPDA

Mick Logsdon
502-266-6084

LINCOLN TRAIL

Ava Oljeski
270-769-2393

PURCHASE

Jon Young
270-251-6126

District 1
Paducah
502-764-0638

Dustin Turner

Ballard
Calloway
Carlisle
Crittenden
Fulton
Graves
Hickman
Livingston
Lyon
McCracken
Marshall
Trigg

District 2
Madisonville
270-824-7080

Nick Hall

Caldwell
Christian
Daviess
Hancock
Henderson
Hopkins
McLean
Muhlenberg
Ohio
Union
Webster

District 3
Bowling Green
502-764-2074

Ben Hunt

Allen
Barren
Butler
Edmonson
Logan
Metcalfe
Monroe
Simpson
Todd
Warren

District 4
Elizabethtown
502-764-0735

Kevin Young

Breckinridge
Grayson
Green
Hardin
Hart
Larue
Marion
Meade
Nelson
Taylor
Washington

District 5
Louisville
502-764-0826

Tom Hall

Bullitt
Franklin
Henry
Jefferson
Oldham
Shelby
Spencer
Trimble

District 6
Covington
502-564-6003

Dane Blackburn

Boone
Bracken
Campbell
Carroll
Gallatin
Grant
Harrison
Kenton
Owen
Pendleton
Robertson

District 7
Lexington
502-564-2281

Charles Smith

Anderson
Bourbon
Boyle
Clark
Fayette
Garrard
Jessamine
Madison
Mercer
Montgomery
Scott
Woodford

District 8
Somerset
606-677-4017

Jeff Dick

Adair
Casey
Clinton
Cumberland
Lincoln
McCreary
Pulaski
Rockcastle
Russell
Wayne

District 9
Flemingsburg
502-782-8199

Blake Jones

Bath
Boyd
Carter
Elliott
Fleming
Greenup
Lewis
Mason
Nicholas
Rowan

District 10
Jackson
502-764-0003

Darren Back

Breathitt
Estill
Lee
Magoffin
Menifee
Morgan
Owsley
Perry
Powell
Wolfe

District 11
Manchester
502-764-0277


Keenen Jones

Bell
Clay
Harlan
Jackson
Knox
Laurel
Leslie
Whitley

District 12
Pikeville
502-764-0468

Charles Dale

Floyd
Johnson
Knott
Lawrence
Letcher
Martin
Pike



1.3 Purpose of the Regional Transportation Asset Inventory

The major activity conducted by the PADD Regional Transportation Program is to support the KYTC Statewide Transportation Planning process. The KYTC annually provides a scope of work to define the regional transportation activities to be conducted by the PADD to support the KYTC. Included in this Annual Work Program (AWP) is a specific set of resource documents identified for the Regional Transportation Asset Inventory (RTAI). The RTAI is utilized as a resource document for the entire region while developing goals and objectives for the transportation system, identifying and evaluating needs, reviewing and documenting projects, and throughout the prioritization/ranking process. The RTAI is the “umbrella” that houses data collection components relevant to regional transportation. The RTAI document consists of an introduction for each component detailing the reason for, location maps and what recommendations if any can be construed from existing data and research. It is designed to be multi-modal in nature and address all forms of transportation in the region to include highways, air, river, rail, transit, pedestrian and bicycle.

The purpose is to involve local leaders, public officials and the general public in the transportation planning process. It is designed to develop a working relationship between local leaders, transportation officials and planners, and concerned citizens, with the goal of creating an open environment, allowing for open and informed public input, so those transportation plans receive local acceptance and support. The elements collected in the RTAI can be used as a means of generating better input from local officials and citizens concerning transportation issues and projects.

The PADD is responsible mainly for the analysis of data, identification and evaluation of needs in their region, and the subsequent evaluation and prioritization/ranking of projects in the Continuous Highway Framework Analysis (CHAF) for possible inclusion in the KYTC Six-Year Highway Plan. The PADD’s role in the statewide transportation planning process is to:

- Work with the Regional Transportation Committee (RTC) to evaluate and prioritize all transportation needs concerned with all modes of transportation in the region.
- Identification of new needs.
- Prioritization/ranking of unscheduled needs.
- Establish a public involvement process that will involve diverse interest groups in the statewide transportation planning process – involving all modes of transportation.
- Provide coordination with other planning activities in the region.
- Complete the various tasks described in its annual scope of work.

The role of the RTC is to provide input into this regional and statewide process. The committee is comprised of a diverse group of interest that impact or are impacted by the transportation system. The committee will work with the PADD in evaluating and prioritizing needs concerned with all modes of transportation.

Through cooperation with the PADD, the RTC, local officials, transportation providers and users and the general public, efforts are made to identify long-range or conceptual transportation needs resulting from the PADD's efforts to assess the mobility and accessibility for the region. This identification process is considered an on-going activity with the PADD RTC and the District 1 HDO in conjunction with the continuous evaluation of the local and regional transportation systems.

CHAPTER 2: DEVELOPMENT, REVIEW, AND RANKING OF PROJECT NEEDS THROUGH THE SHIFT PROCESS

2.1 Introduction

In FY 2017, KYTC introduced a new concept for prioritization of projects being considered for implementation into the proposed highway plan. A model was developed to create a more data-driven, objective and collaborative approach to selecting high priority projects. This model is called the **Strategic Highway Investment Formula for Tomorrow (SHIFT)**. SHIFT uses quantitative data — measures such as crashes, fatalities, traffic volumes, delays, employment — to assess the benefits of planned projects and compare them to each other. Using the SHIFT formula (developed by transportation engineers), KYTC will score projects and share rankings with local transportation leaders (ADDs, MPOs, and HDOs). KYTC ranks projects with statewide importance and, through the local collaboration, priorities are set for regional projects. The guidelines and schedule for the prioritization and ranking process are established by KYTC. Generally, needs are prioritized on a local (respective county or city), regional (ADD), HDO, and state (KYTC) level. The ADD is responsible for obtaining the local and regional priorities. The prioritization process is documented by the ADD and reported to KYTC. The documentation report is a record of the public involvement process utilized to prioritize the **Continuous Highway Analysis Framework (CHAF)**, including all efforts to educate and inform the RTC and the public regarding methods used to build consensus for priorities and rankings.

2.2 Continuous Highway Analysis Framework (CHAF)

The CHAF is the unconstrained list of all potential needs or deficiencies identified or suggested for consideration for future implementation. These projects represent identified needs that may or may not have data-supported deficiencies for which conceptual projects may have been developed, but for which there are no current funding commitments. The CHAF has two categories of projects: active and inactive. The active list contains the needs that are followed and monitored closely and the list from which projects are prioritized and ranked. A need on the inactive list is one that historically had a low priority or no longer is considered a need. These needs are no longer monitored, but they are not deleted from the database in case the respective need once again becomes valid. It is possible, as needs change or new needs are identified, to move from the active list to the inactive list. Likewise, if determined to be a valid need, then there can be movement from the inactive list to the active list.

2.3 How SHIFT Works

KYTC starts with a list of projects previously identified by state and local transportation leaders (Area Development Districts, Metropolitan Planning Organizations, and KYTC Highway Districts). These leaders may add or subtract projects at this stage. To move forward, projects must be “sponsored” by local transportation leaders. Each ADD, MPO, and Highway District are allocated a number of “sponsorships” based on both area lane miles and the local population served. After consulting with local elected officials, transportation leaders choose which projects to sponsor. Each project is reviewed and scored in a two-step system: statewide and local. Statewide scoring is on a 0-to-100-point scale and local scoring is on a 0-to-80-point scale. Through a process known as “boosting” (discussed below), local projects can obtain a maximum score of 100. Both phases are scored using a combination of the seven key attributes: safety, congestion, asset management, economic growth, benefit/cost, resiliency, and non-motorized mobility. Projects of statewide significance (interstates, parkways, and other major connecting routes) are scored first. KYTC reviews the scores of the projects of statewide significance and selects projects for priority funding. The remaining statewide projects are considered during the next phase. Local transportation leaders take the lead role in prioritizing local priorities, which include highways and local roads as well as the remaining statewide projects. Using local insights, ADDs, MPOs, and Highway Districts may “boost” the scores for their top priority projects, adding 10 points to their base scores on the 0-to-80-point scale. Projects boosted by both the District and ADD/MPO receive an additional 20 points – a “turbo boost.” After combining the project scores with the local boosts, projects in each KYTC District are prioritized for consideration in the next state highway plan. KYTC combines statewide and local priorities to help develop the Governor's Recommended State Highway Plan, which is presented to the General Assembly. During the legislative session, lawmakers fine-tune the plan based on additional information and funding availability. The result is the Enacted State Highway Plan, which includes two years of funded projects and spending priorities for the following four years.

2.4 Maps of the UNL Locations by County

The following maps show the location of the needs identified on the PADD active CHAF by county:




Ballard County CHAF PROJECTS




CHAF Project —

KY & US HWY —

Local Roads —




Wickliffe



Barlow



LaCenter



Kevil






Calloway County CHAF PROJECTS



CHAF Project —


KY & US HWY —

Local Roads —






Murray






Carlisle County CHAF PROJECTS





Bardwell







Fulton County CHAF PROJECTS



Hickman





Fulton






Graves County CHAF PROJECTS




Mayfield







Hickman County CHAF PROJECTS





Clinton




Columbus









Benton



Calvert City





CHAPTER 3: MAJOR FREIGHT USERS INVENTORY

3.1 Introduction

The Major Freight Users Inventory (MFUI) is a listing of facilities identified throughout the region known for generating significant freight movement. The list is very subjective and can be interpreted differently by the regional committee, local officials and other stakeholders for each county/region. Planners, through consultation with RTC and local officials in each county, determine the facilities for each area. Keeping the inventory current is necessary for helping promote the safe and efficient movement of goods and services throughout the county, region and state. The inventory is a valuable tool for analyzing transportation systems and data, identification and evaluation of needs in the region and the subsequent evaluation and prioritization of projects. The inventory identifies major manufactures and distribution centers for truck and rail and intermodal facilities. MFUI can have a profound impact on the operations of the surrounding road network.

In order to understand traffic patterns and volumes in an area, it is important to know about existing MFUI and changes that have occurred such as the addition or closing of a facility. To facilitate this understanding, the ADD maintains this inventory of locations. This data can be made available to transportation planners, designers, the public, and local officials when making transportation decisions such as the highway prioritization process, or corridor improvement study, or development and calibration of traffic models.

The inventory is maintained as part of a Geographic Information System (GIS) and can be displayed on maps with existing traffic data such as traffic counts, unscheduled needs list, highway plan projects, safety data, etc. This inventory is reviewed yearly with the RTC to ensure accuracy and the RTC is encouraged to inform PADD staff of changes that have occurred in their communities such as the closing or opening of a new facility.


The map located in section 3.2 illustrates the location of the current KRADD MFUI. County maps, city maps and community maps are used where necessary to provide a visual tool of the inventory within the existing road network. Updates or other changes are submitted each year to the KYTC. For more information on the PADD MFUI, please contact the ADD.

3.2 MFUI Location Maps

The maps that follow have been created to illustrate the MFUI inventory and other major traffic generators on regional, county, city or community level. Locations are color-coded and identified by type. For the purpose of this illustration the PADD identifies the following types (with examples given) as commercial (business offices or parks), distribution (warehouse, soft drink or beer distributors), freight (grain facility, trucking companies, FedEx, UPS), industry (industrial parks, manufacturing), intermodal (airport, riverport), major shopping center (mall, strip mall), medical (hospital or multiple doctor offices), parks & recreation (state park, sports arenas), and schools (elementary, middle, high school, college).

Purchase Area Development District

Major Freight User/Major Traffic Generators




This map was produced in cooperation with the Kentucky Transportation Cabinet



Ballard County

Major Freight User/Major Traffic Generators



This map was produced in cooperation with the Kentucky Transportation Cabinet




Calloway County

Major Freight User/Major Traffic Generators



Major Traffic Generators 



Major Freight Users 



This map was produced in cooperation with the Kentucky Transportation Cabinet

Calloway County

Major Freight User/Major Traffic Generators





This map was produced in cooperation with the Kentucky Transportation Cabinet



Carlisle County

Major Freight User/Major Traffic Generators



This map was produced in cooperation with the Kentucky Transportation Cabinet





Fulton County




Major Freight User/Major Traffic Generators



Major Traffic
Generators



Major Freight
Users




This map was produced in cooperation with the Kentucky Transportation Cabinet



Graves County

Major Freight User/Major Traffic Generators




This map was produced in cooperation with the Kentucky Transportation Cabinet



Graves County

Major Freight User/Major Traffic Generators




This map was produced in cooperation with the Kentucky Transportation Cabinet



Hickman County

Major Freight User/Major Traffic Generators



This map was produced in cooperation with the Kentucky Transportation Cabinet



McCracken County


Major Freight User/Major Traffic Generators



Major Traffic Generators


Major Freight Users






McCracken County

Major Freight User/Major Traffic Generators



Marshall County

Major Freight User/Major Traffic Generators





This map was produced in cooperation with the Kentucky Transportation Cabinet



Marshall County

Major Freight User/Major Traffic Generators



This map was produced in cooperation with the Kentucky Transportation Cabinet



CHAPTER 4: NHS INTERMODAL CONNECTOR REVIEW

4.1 Introduction

An Intermodal Connector is defined as a highway facility providing direct access for a freight generator, shipper or port terminal (rail or river) with a major transportation thoroughfare such as an interstate highway. Currently the FHWA has identified twenty facilities on the National Highway System (NHS) Intermodal Connector listing for Kentucky. Within the Purchase region only the Amtrak station in Fulton is currently on the statewide list. The PUADD periodically will review this listing for obvious changes in the region including facilities that have ceased operations or no longer meet FHWA criteria for listing and recommend the facility to be removed from the base list. The PUADD will also identify facilities that are not listed on the NHS Intermodal Connector Listing that meet FHWA criteria and recommend those be added to the base list. This information will be used to help identify projects to be recommended for Kentucky's Six Year Plan, the Statewide Long-Range Plan and inclusion in CHAF. Status as an Intermodal Connector produces viable possible funding options for designated roadway segments.

The FHWA has identified guidance criteria (Section 103 (b) of Title 23, U.S.C.) for the evaluation of requests for modifications to the NHS Intermodal Connector listing. This criterion indicates how roads get placed on the NHS and how intermodal connectors can be added.

There are two basic criteria for adding intermodal connectors: primary and secondary. The NHS Primary criteria are a nationwide set of criteria. Due to this, Kentucky does not have many facilities listed as we do not have many ports that could compare (for example) to the Port of Long Beach or ferries that move 1,000 passengers per day. There may be a few facilities in Kentucky that could be included based on the primary criteria, but most of Kentucky's facilities are going to be eligible under the secondary criteria. The secondary criteria include factors which underscore the importance of an intermodal facility within a specific state.

Primary Criteria

Commercial Aviation Airports

1. Passengers--scheduled commercial service with more than 250,000 annual enplanements.
2. Cargo--100 trucks per day in each direction on the principal connecting route, or 100,000 tons per year arriving or departing by highway mode.

Ports

1. Terminals that handle more than 50,000 TEUs (a volumetric measure of containerized cargo which stands for twenty-foot equivalent units) per year, or other units measured

that would convert to more than 100 trucks per day in each direction. (Trucks are defined as large single-unit trucks or combination vehicles handling freight.)

2. Bulk commodity terminals that handle more than 500,000 tons per year by highway or 100 trucks per day in each direction on the principal connecting route. (If no individual terminal handles this amount of freight, but a cluster of terminals in close proximity to each other does, then the cluster of terminals could be considered in meeting the criteria. In such cases, the connecting route might terminate at a point where the traffic to several terminals begins to separate.)
3. Passengers--terminals that handle more than 250,000 passengers per year or 1,000 passengers per day for at least 90 days during the year.

Truck/Rail

50,000 TEUs per year, or 100 trucks per day, in each direction on the principal connecting route, or other units measured that would convert to more than 100 trucks per day in each direction. (Trucks are defined as large single-unit trucks or combination vehicles carrying freight.)

Pipelines

100 trucks per day in each direction on the principal connecting route.

Amtrak

100,000 passengers per year (entrainments and detrainments). Joint Amtrak, intercity bus and public transit terminals should be considered based on the combined passenger volumes. Likewise, two or more separate facilities in close proximity should be considered based on combined passenger volumes.

Intercity Bus

100,000 passengers per year (boardings and de-boardings).

Public Transit

Stations with park and ride lots with more than 500 vehicle parking spaces, or 5,000 daily bus or rail passengers, with significant highway access (i.e., a high percentage of the passengers arrive by cars and buses using a route that connects to another NHS route), or a major hub terminal that provides for the transfer of passengers among several bus routes. (These hubs should have a significant number of buses using a principal route connecting with the NHS.)

Ferries

1. Interstate/international--1,000 passengers per day for at least 90 days during the year. (A ferry which connects two terminals within the same metropolitan area should be considered as local, not interstate.)
2. Local--see public transit criteria above.

Secondary Criteria

Any of the following criteria could be used to justify an NHS connection to an intermodal terminal where there is a significant highway interface:

1. Intermodal terminals that handle more than 20 percent of passenger or freight volumes by mode within a State;
2. Intermodal terminals identified either in the Intermodal Management System or the State and metropolitan transportation plans as a major facility;
3. Significant investment in, or expansion of, an intermodal terminal; or
4. Connecting routes targeted by the State, MPO, or others for investment to address an existing or anticipated deficiency due to increased traffic.

Proximate Connections

Intermodal terminals, identified under the secondary criteria noted above, may not have sufficient highway traffic volumes to justify an NHS connection to the terminal. States and MPOs should fully consider whether a direct connection should be identified for such terminals, or whether being in proximity (2 to 3 miles) of an NHS route is sufficient.

PUADD Review and Suggestions

The following report is intended to outline suggested changes for the NHS Intermodal Connector (NHS IC) Listing for facilities on the National Highway System in Kentucky. These suggestions are provided to KYTC to complete the FY26 Annual Work Program component outlined in Work Element 3D: NHS Intermodal Connector Review. The Purchase Area Development District (PUADD) is to review the existing NHS IC List and provide any suggested changes (deletions or additions) for the network to KYTC Division of Planning.

The Amtrak station in Fulton is the only facility identified under the FHWA primary criteria. The PUADD agrees that this facility should remain on the list. We would also suggest that certain facilities in the region could qualify for inclusion to the NHS IC listing under secondary criteria because they are considered to be major regional assets to the Purchase Region.

The PUADD would like to suggest the following facility to be considered for inclusion on the NHS IC listing based on the FHWA secondary criteria for major regional assets:

- Barkley Regional Airport

The following list identifies each facility with the suggested connection and length to the NHS.


Barkley Regional Airport

To connect the facility to the NHS (US 60) the following route is suggested:

1. US 60 to KY 305 (Mile Point 4.035)
2. KY 305 to facility entrance (Mile Point 2.210)

Total mileage to make connections to NHS: 1.825 miles

4.2 Map of NHS with Intermodal Connectors



4.3 Kentucky Highway Freight Network (KHFN)


A key component for identifying criteria for the performance-based project selection process (also known as SHIFT) was the KYTC development of a state highway freight network that was representative of Kentucky's critical freight corridors. The creation of the KHFN provides the ability to identify and address freight system mobility issues that exist both presently and in the future. KYTC developed a 4-tier structure for the KHFN. The following criteria were used to develop the tier network:

- Tier 1 – National Regional Significance
- Tier 2 – Statewide Significance
- Tier 3 – Statewide Regional Significance
- Tier 4 – Local Access Significance

Each tier includes manual revisions necessary to ensure connectivity and limit to 50 miles between local KHFN access points. KYTC provides the ADD with a map of the KHFN that is used in conjunction with the NHS Intermodal Connector review along with the MFU / MTG review. The ADD utilizes the resource with the RTC to identify missing links between manufacturers/distribution centers, the NHS and the KHFN. The input received from this

review may be used as suggestions to KYTC for making changes to the KHFN and the KYTC list of intermodal connector needs.

4.4 Map of KHFN by Tier



CHAPTER 5: TRUCK PARKING INVENTORY

5.1 Introduction

The PADD maintains an inventory of existing truck parking resources for KYTC. This data allows the KYTC to apply for FHWA Truck Parking Grant Funds. These grant applications require information about available truck parking spaces and demand for said parking spaces.

Once a driver reaches eleven (11) Hours of Service (HOS) they must stop their truck for a ten hour period of rest. If a driver cannot find a place to park, they end up driving over the HOS to get to the next parking area and risk fines if caught. This causes drivers to become very creative in where they park to get the mandatory rest. It can also create a safety issue for tired drivers.

Examples of places that drivers may attempt to use when faced with a lack of appropriate facilities:

- Business parking lots (often run off by security)
- Along shoulders of roads (which tears up shoulders)
- Along exit / entrance ramps (narrows the ramps for other drivers)

The PADD conducts an exit by exit review to collect or confirm the inventory along Interstate 24, Interstate 69 (includes rest area, weigh stations and welcome centers). Every attempt has been made to document if each exit would be considered appropriate or not appropriate for truck use (do not want to exit trucks into a residential area or areas lacking truck access). If location is acceptable, then available services (truck parking spaces, diesel fuel, lodging, vending, restaurants, pay telephones, public restrooms and hospital within 10 miles of exit) are documented within one mile of the exit appropriate for trucks. The PADD will also document areas where trucks are permitted to park overnight (along city streets, near interstates and parkways, and business parking lots).

There are 18 exits along I-24 (7) and I-69 (11) that are included in the region inventory. The exits are classified by the following types:

- Other – no services or not truck friendly
- Weigh station – scales operated by Kentucky Vehicle Enforcement; may include parking spaces, vending, restrooms, etc.
- Rest Area – public rest area owned by KYTC; may include parking spaces, vending, restrooms, etc.
- Welcome Center – staffed by Kentucky Tourism Cabinet; may include parking spaces, vending, restrooms, etc.
- Truck Stop – privately owned facility that has fuel lanes, restrooms, convenience store, food, etc., and may have overnight parking

- ## 5.2 Map of Truck Parking Facilities by Type

Map of Kentucky Truck Parking Facilities by Type

Legend:

- City Boundary
- County Boundary
- National Truck Network
- Kentucky Freight Focus Network

TYPE

- GENERAL SERVICE EXIT
- OTHER
- PARKING LOT
- TRUCK STOP
- WEIGH STATION
- WELCOME CENTER

Map Labels: Ballard, MCCRACKEN, MARSHALL, CARLISLE, GRAVES, HICKMAN, CALLOWAY, FULTON, Fulton, Water Valley, Wingo, Mayfield, Columbus, Arlington, Bardwell, Wickliffe, LaCenter, Kevil, Paducah, Calvert City, Benton, Hardin, Murray, Hazel, Hickman, Clinton, Barlow.

Highways: 60, 45, 24, 51, 121, 45, 68, 80, 641, 94, 94.

Water Bodies: Ohio River, Tennessee River.

Map Notes: This map was produced in cooperation with the Kentucky Transportation Cabinet.

CHAPTER 6: RAIL FREIGHT LOADING/UNLOADING FACILITIES

6.1 Introduction


The purpose of this inventory is to assist the KYTC in identification of rail facility locations, intermodal connectors and providing information for the statewide rail plan. This helps serve the KYTC goal of promoting the safe efficient movement of goods and services throughout the state. KYTC has GIS data on known railyards within the state. The ADDs assisted in identification of these locations by creating this list in FY10. In FY17, KYTC developed from the rail yard inventory and other informational sources, a draft list of data and locations utilized as freight loading / unloading facilities. The data provided included all information available such as the name, location and function (e.g. bulk transfer, container yard, classification yard) of the facility.

Each year the ADD reviews this listing for minor revisions. During this process, if facilities are discovered that are not identified or had a change in operation (new, expansion, closed) the ADD planner records the name, location, and updates the database and map providing the information to KYTC. At a minimum, the facility name, county, latitude/longitude, and comments section are provided to KYTC. The ADD should contact the yard master to find out what type of freight activity is occurring: transfer to other modes such as river, rail or truck; transfer of grain, chemicals, fertilizer, coal, rock or other bulk materials; transfer or storage of containers from river, rail, or truck; transfer or storage of motor vehicles for distribution across the country.

Contacts and local knowledge should be cultivated regarding the region's rail yards and updates submitted to KYTC on an as needed basis. During the course of business, it may become necessary to contact local stakeholders and/or industry experts in order to garner local input on transportation issues or opportunities affecting the area. The PADD maintains this list of rail yards to know where improvements to intermodal connections may be warranted in order to promote the safe and efficient movement of goods and services.

There are 12 railyards currently in operation in the Purchase. These yards are operated by Paducah and Louisville Railway (PAL), Canadian National (CN), Norfolk Southern (NS), Western Kentucky Railway (WKRL), Burlington Northern and Santa Fe Railway (BNSF) and the United States Army (USAX). PAL operates the most yards in the region with seven active yards: five in Calvert City and two in Paducah. CN operates two yards; one located in Fulton and the other in Wickliffe BNSF and CN also has access to the Paducah PAL yard. WKRL and NS both operate in the Fulton yard. The USAX operates the yards for the Tennessee Valley Authority (TVA) Shawnee Fossil Plant located in McCracken County just west of Paducah.

6.2 Map of Rail Yard Locations



CHAPTER 7: BICYCLE PEDESTRIAN ASSETS

7.1 Introduction

The ADD works with identified communities to locate any existing bicycle or pedestrian assets or accommodations within the jurisdiction to develop spatial information accordingly. Accommodations or assets may include: location of sidewalks, crosswalks, bike lanes, etc.


Transportation planners are tasked to provide recommendations on the best ways to incorporate design, operational efficiency and better management of our transportation network. In relationship to bicycle and pedestrian facilities; we sometimes do not have accurate (if any) data on where current facilities are located. To better consider and recommend the inclusion of future facilities within ALL types of road work, we need to know where logical connections may be located. We need to know where current missing links may be located in a downtown sidewalk network. We need to identify opportunities for connections of bicycle facilities, both locally and regionally.

In 2014 the Cabinet partnered with the ADD agencies to begin the start of a more complete statewide bicycle and pedestrian GIS inventory database of all pedestrian and bicycling facilities/assets. These facilities include anything that the bike/ped public uses for non-motorized transportation in the city or community such as sidewalks, bike lanes, bike paths or separated multi-use paths.

The main objective is to better serve the non-motorized transportation needs of our public. Our common goals include providing a safer, more efficient, environmentally sound, and fiscally responsible complete transportation system that helps deliver better economic opportunities and enhancing the quality of life in Kentuckians.

The bike ped plans and information collected by the ADD are currently available on an interactive map at <https://maps.kytc.ky.gov/bikeandpedestrianfacilities/>.

7.2 Bicycle and Pedestrian Facilities



Cities completed listing FY Completed

FY14

Wickliffe
Mayfield

FY16

Hickman
Murray
Hazel
Paducah

FY15

Clinton
Benton
Fulton

FY17

Calvert City
Hardin
Wingo
Water Valley
Kevil
LaCenter
Barlow
Bardwell
Arlington
Columbus


CHAPTER 8: PARK AND RIDE INVENTORY

8.1 Introduction

The Purchase Area Development District (PADD) works with the Kentucky Transportation Cabinet (KYTC) to identify, evaluate, and collect data for existing park-and-ride facilities throughout the region. This effort includes verifying facility locations, collecting GPS coordinates, documenting site characteristics, and updating GIS information to support statewide transportation planning efforts. The updated inventory will help KYTC and local partners better understand existing park-and-ride resources, identify potential improvements, and evaluate future opportunities for ridesharing and multimodal transportation connections.

8.2 Location Map

Purchase Area Development District
Park and Ride Locations




CHAPTER 9: SCENIC BYWAYS INVENTORY

9.1 Introduction

The ADD works with the Office of Local Programs Kentucky Scenic Byway Program to evaluate and collect data for all routes designated as scenic byways/highways. Local Champions were also identified for each route.

The Great River Road, an All-American Road scenic byway, is located in Ballard, Carlisle, Hickman and Fulton Counties.

9.2 Location Map



CHAPTER 10: TRANSPORTATION TERMS AND ACRONYMS

10.1 Glossary of Terms and Acronyms

The following glossary has been created as a reference tool for some of the more commonly used transportation terms and acronyms.

A

Adequacy Rating

Adequacy Rating is a numerical score from 0 to 100 evaluating the current condition of a roadway segment based on congestion, safety, and pavement condition.

American Association of State Highway and Transportation Officials (AASHTO)

AASHTO is a nonprofit, nonpartisan association representing highway and transportation departments in the 50 states, the District of Columbia and Puerto Rico. It represents all five transportation modes: air, highways, public transportation, rail and water. Its primary goal is to foster the development, operation and maintenance of an integrated national transportation system.

American Public Transit Association (APTA)

The American Public Transportation Association (APTA) is an international organization that has been representing the transit industry for over 100 years, since 1882. Over ninety percent of passengers using transit in the U.S. and Canada are carried by APTA members. APTA includes bus, rapid transit and commuter rail systems, and the organizations responsible for planning, designing, constructing, financing and operating transit systems. In addition, government agencies, metropolitan planning organizations, state departments of transportation, academic institutions, and trade publications are also part of APTA.

Americans with Disabilities Act of 1990 (ADA)

A federal law prohibiting discrimination against people with disabilities. Requires public entities and public accommodations to provide accessible accommodations for people with disabilities.

Area Development District (ADD)

Fifteen regional planning agencies mandated by state legislation. The fifteen ADDs in Kentucky are the regional planning agencies through which various federal and state programs are administered. The state's rural transportation planning program is administered and facilitated through the fifteen Area Development Districts.

Arterial

A class of roads serving major traffic movements (high-speed, high volume for travel between major points).

Association of Metropolitan Planning Organizations (AMPO)

AMPO is a nonprofit, membership organization established in 1994 to serve the needs and interests of Metropolitan Planning Organizations (MPOs) nationwide. AMPO offers its members MPOs technical assistance and training, conferences and workshops, frequent print and electronic communications, research, a forum for transportation policy development and coalition building, and a variety of other services

B**Bicycle Facilities/Amenities**

A general term denoting provisions made to accommodate or encourage bicycling, including parking facilities, shared roadways, bikeways, etc.

Bicycle Lane (Bike Lane)

A portion of a roadway which has been designated by striping, signing and pavement markings for the exclusive use of bicyclists.

Bicycle Route (Bike Route)

A segment of a system of bikeways designated by the jurisdiction having the authority with appropriate directional and informational markers, with or without a specific bicycle route number. See also signed, shared roadway.

Bikeway

A facility designed to accommodate bicycle travel for recreational or commuting purposes. Bikeways are not necessarily separated facilities; they may be designed and operated to be shared with other travel modes.

C**Census Defined Urbanized Area (UZA)**

UZA is defined by the Bureau of the Census as being comprised of "... one or more central places/cities, plus the adjacent densely settled surrounding territory (urban fringe) that together has a minimum of 50,000 persons." The urban fringe consists of a contiguous territory having a population density of at least 1,000 per square mile. The UZA provides population totals for transportation-related funding formulas that require an urban/rural population number.

Coal Haul

Coal Haul is those routes over which coal was reported transported by truck during the previous calendar year.

Collector

A roadway linking traffic on local roads to the arterial road network.

Continuous Highways Analysis Framework (CHAF)

CHAF is an application enabling users to collect, track, and analyze identified transportation needs. CHAF also provides a means to sponsor, score and rank projects as part of the Strategic Highway Investment Formula for Tomorrow (SHIFT).

Critical Crash Rate Factor (CRF)

Critical Crash Rate Factor-the quotient showing the ratio of the crash rate for a roadway spot or segment divided by the critical crash rate for that roadway spot or segment based on roadway type, number of lanes, and median type. The critical rate for a roadway type is determined annually by the Kentucky Transportation Center.

E**Extended Weight**

Extended Weight is a designated highway network over which certain vehicular weight limits are relaxed for coal haul vehicles.

F**Fixing America's Surface Transportation Act (FAST Act)**

Enacted in December 2015 as Public Law 114-94. The FAST Act maintains a focus on safety, keeps intact the established structure of the various highway-related programs managed by FHWA, continues efforts to streamline project delivery and, for the first time, provides a dedicated source of federal dollars for freight projects.

Federal Highway Administration (FHWA)

The division of the United States Department of Transportation responsible for funding highway policy and funding.

Federal Transit Administration (FTA)

A Division of the United States Department of Transportation (USDOT) responsible for funding transit planning and programs.

Functional Classification

A system of classifying rural and urban roadways by use and level of traffic volume: interstates, arterials, collectors, and local roads are the chief classes.

G**Geographic Information System (GIS)**

A GIS is a computerized mapping technology that allows the creation and overlay of various geographic features, commonly linked to socioeconomic and other data.

H

Highway District Office (HDO)

Kentucky has twelve district highway offices located throughout the state.

Highway Information System (HIS)

Highway Information System: a comprehensive database of highway inventory information maintained by, and in many cases collected by, the KYTC Division of Planning.

I

Intermodal

The ability to connect and the connections between modes of transportation.

Intermodal Surface Transportation Efficiency Act of 1991 (ISTEA)

Legislative initiative by the U.S. Congress that restructured funding for transportation programs. ISTEA authorized increased levels of highway and transportation funding from FY92-97 and increased the role of regional planning commissions/MPO in funding decisions. The Act also required comprehensive regional and statewide long-term transportation plans and places and increased emphasis on public participation and transportation alternatives. Many of the programs that began with ISTEA have been continued through the Transportation Equity Act for the 21st Century (TEA-21), which was signed into law June of 1998.

International Roughness Index (IRI)

International Roughness Index is a measure of pavement roughness.

K

Kentucky Transportation Cabinet (KYTC)

KYTC is the state agency responsible for transportation funding, planning and programs at the statewide level.

L

Level of Service (LOS)

This term refers to a standard measurement used by transportation officials which reflects the relative ease of traffic flow in a scale of A to F, with free-flow being rated LOS-A and highly congested conditions rated as LOS-F.

Local Roads

Local roads carry the lowest traffic volumes and typically connect with other local roads and collectors (i.e., internal subdivision roads). This class of roadway is generally excluded from Federal funding.

Long-Range Statewide Transportation Plan

This document is a federally required long-range transportation plan that is a minimum twenty year period. The federal legislation requires that a plan be developed for at least a twenty year period and must be financially balanced. This document, which was first produced in Kentucky in 1995 and updated in 1999, included both policy and projects. The 2006 Plan is a policy only plan.

M**Moving Ahead for Progress in the 21st Century Act (MAP-21)**

The federal transportation reauthorization legislation, enacted July 6, 2012 as Public Law 112-141. MAP-21 creates a streamlined, performance based, and multimodal program to address the many challenges facing the U.S. transportation system. These challenges include improving safety, maintaining infrastructure condition, reducing traffic congestion, improving efficiency of the system and freight movement, protecting the environment, and reducing delays in project delivery.

Metropolitan Planning Organization (MPO)

The organizational entity designated by law with responsibility for developing transportation plans and programs for urbanized areas of 50,000 or more in population. MPOs are established by agreement of the Governor (or Governors) and units of local government which together represent 75% of the affected population of an urbanized area.

Metropolitan Statistical Area (MSA)

An area defined by the Office of Management and Budget as a Federal statistical standard. An area qualifies for recognition as an MSA if it includes a city of at least 50,000 population or an urbanized area of at least 50,000 with a total metropolitan area population of at least 100,000.

Mile Point (MP)

Mile Point; used, along with county and route number, to identify location of a highway segment.

N**National Highway (NHS)**

A network of interstate and state highways which serve longer distance mobility needs, are important to the nation's economy, defense, and mobility, and are eligible for matching federal funds for capital improvement.

National Truck Network (NN)

National Truck Network are those routes on the state maintained road system which have been specifically designated by KYTC and approved by FHWA for use by motor vehicles (trucks) with

increased dimensions (e.g., 102 inches wide, 13-6" high, semi trailers up to 53 feet long, trailers 28 feet long-not to exceed two (2) trailers per truck).

P

Pedestrian

A person who travels on foot or who uses assistive devices, such as a wheelchair, for mobility.

Poverty Level

The minimum level of money income adequate for families of different sizes, in keeping with American consumption patterns. These levels are determined annually by the U.S. government on the basis of an index originated by the U.S. Social Security Administration and released biennially by the U.S. Census Bureau for states and counties.

Project Identification Form (PIF)

An identification form developed by KYTC Division of Planning for all transportation projects that contains problem statement, project description, specific geometric and analytical data, cost estimates, and assumptions for the project. The form is prepared when the transportation need is first noted and the information is entered into the Unscheduled Project List database and is updated periodically. Maps and pictures for the project may also be attached.

R

Pavement Rideability Index (RI)

A general measure of pavement conditions. The RI is based on a scale of 0 to 5, with 0 being poor and 5 being very good.

Right-of-Way (ROW)

A ROW is a priority path for the construction and operation of highways, light and heavy rail, railroads, et cetera. The ROW phase of a project is the time period in which land in the right-of-way will be purchased.

S

Safe, Accountable, Flexible and Efficient Transportation Equity Act: A Legacy for Users

(SAFETEA-LU) The federal transportation reauthorization legislation, enacted August 10, 2005, as Public Law 109-59. SAFETEA-LU authorizes the Federal surface transportation programs for highways, highway safety, and transit for the 5 year period 2005-2009 and continued many of the provisions of TEA-21, but also further emphasized and elevated the importance of safety and security, further coordination of statewide planning with the metropolitan areas, consultation with local elected officials, and continued public involvement.

Scenic Byways

These routes are nominated by local support groups and designated by the Transportation Cabinet because they are deemed to have roadside or view sheds of aesthetic, historical, cultural, natural, archaeological, and/or recreational value worthy of preservation, restoration, protection, and or enhancement.

Shared Use Path

A pathway physically separated from motor vehicle traffic and used by bicyclists and pedestrians. Generally, shared use paths serve corridors not served by streets and highways to minimize conflict with cross-street traffic.

Small Urban Area (SUA)

Small Urban Area; population centers of between 5,000 and 50,000 persons.

State Implementation Plan (SIP)

A plan mandated by the CAA and developed by each state that contains procedures to monitor, control, maintain, and enforce compliance with National Ambient Air Quality Standards (NAAQS).

Six Year Highway Plan (SYP)

A short-range highway plan of projects to be implemented by phase and funding levels for a six-year period in Kentucky. This plan is mandated by Kentucky Legislation and is updated and approved by the Kentucky Legislature every two years.

Statewide Transportation Improvements Program (STIP)

A short-term transportation planning document covering at least a three-year period and updated at least every two years. STIPs are created in conjunction with MPOs and the MPO's TIP is incorporated into the state's STIP. The STIP includes a priority list of projects to be carried out in each of the three years. Projects included in the STIP must be consistent with the long-term transportation plan, must conform to regional air quality implementation plans, and must be financially constrained (achievable within existing or reasonably anticipated funding sources).

Strategic Highway Corridor Network (STRAHNET)

A federal highway designation of selected highways to be used for certain national emergencies.

Strategic Highway Investment Formula for Tomorrow (SHIFT)

SHIFT is a data-driven, objective and collaborative approach to determine the state's transportation funding priorities. It is a prioritization model utilized to bring balance and dependability to Kentucky's Highway Plan. The key elements of SHIFT: it is built on real data, it is objective, it is open and transparent, it is collaborative – engaging the input of local and district leaders in transportation, it is dependable.

System Classification/Functional Classification

The categorization of transportation facilities by their actual or expected use characteristics. The distinction is usually made on the basis of access vs. mobility, where lower order roadways are used primarily for access to individual land uses, while higher order roadways are used primarily for travel between towns or cities.

Surface Transportation Program (STP)

A categorical funding program included under ISTEA and continued under TEA-21 and SAFETEA-LU for transportation roadway projects. Funds may be used for a wide variety of purposes including: roadway construction, reconstruction, resurfacing, restoration and rehabilitation; roadway operational improvements; capital costs for transit projects; highway and safety.

T**Traffic Volume**

Number of vehicles passing a given point over a period of time.

Transportation Enhancement Funds (TE)

A federal funding category for projects that add community or environmental value to any active or completed transportation project. For instance, sidewalk, landscaping and bikeway projects are some of the ways in which a roadway could be enhanced.

Transportation Equity Act of the 21st Century (TEA-21)

A law enacted in 1998, TEA-21 authorized federal funding for transportation investment for the time period spanning fiscal year 1998 to fiscal year 2003. Approximately \$218 billion in funding was authorized, the largest amount in history, and is used for highway, transit, and other surface transportation programs.

Transportation Improvement Program (TIP)

Transportation Improvement Program is a document prepared by the MPO. It contains a prioritized list of projects within the metropolitan area for the next four years. This document identifies the projects for inclusion into the STIP. This document must be financially constrained and must be a direct subset of the area's Long-Range Transportation Plan.

U**Unscheduled Project List (UPL)**

The prioritized list of potential projects used for consideration in future versions of the KYTC Highway Plan. These projects represent identified needs with data supported deficiencies for which conceptual projects may have been developed, but for which there are no current funding commitments.

Urban Area (UA)

The Census Bureau defines “urban” for the 1990 census as comprising all territory, population, and housing units in urbanized areas and in places of 2,500 or more persons outside urbanized areas. More specifically, “urban” consists of territory, persons, and housing units in: 1) Places of 2,500 or more persons incorporated as cities, villages, boroughs (except in Alaska and New York), and towns (except in the six New England States, New York, and Wisconsin), but excluding the rural portions of “extended cities;” 2) Census designated places of 2,500 or more persons; and 3.) Other territory, incorporated or unincorporated, included in urbanized areas. Territory, population, and housing units not classified as urban constitute “rural.” This boundary is the line of demarcation for rural/ urban functional classification on roadways.

V

Volume to Service Flow Ratio (V/SF)

Volume to Service Flow ratio; a quotient showing the ratio of a facility’s actual vehicular traffic volume to its theoretical maximum potential vehicular traffic volume; a ratio higher than about 0.6 indicates traffic volumes are approaching congested conditions. This is also referred to V/C or Volume to Capacity ratio.